

Title (en)

Developing method for electrostatic latent image.

Title (de)

Entwicklungsverfahren für latente elektrostatische Bilder.

Title (fr)

Procédé pour développer des images latentes électrostatiques.

Publication

EP 0257364 A1 19880302 (EN)

Application

EP 87111197 A 19870803

Priority

- JP 18342286 A 19860806
- JP 18342386 A 19860806

Abstract (en)

The developing method of the invention is a developing method in which a two component type developer layer comprising toners and carriers is formed on a developer transport drum and the formed developer layer is fed into a developing area where an oscillatory electric field is generated so as to develop an electrostatic latent image on a photoreceptor. The carrier is a resin coated carrier being a particle of magnetic substance coated with a resin containing silicone resin or a resin containing fluororesin in an amount of at least 30 % by weight.

IPC 1-7

G03G 9/10; G03G 13/08; G03G 15/00

IPC 8 full level

G03G 9/113 (2006.01); **G03G 13/09** (2006.01)

CPC (source: EP)

G03G 9/1134 (2013.01); **G03G 9/1136** (2013.01); **G03G 13/09** (2013.01)

Citation (search report)

- EP 0161128 A1 19851113 - EASTMAN KODAK CO [US]
- DE 3511171 A1 19851003 - RICOH KK [JP]
- EP 0188171 A1 19860723 - KANTO DENKA KOGYO KK [JP], et al
- DE 3004152 A1 19800904 - MITA INDUSTRIAL CO LTD

Cited by

EP0363900A3; CN112789526A; EP0334099A3; FR2628540A1

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

EP 0257364 A1 19880302; EP 0257364 B1 19921021; EP 0257364 B2 19971015; DE 3782300 D1 19921126; DE 3782300 T2 19930304;
DE 3782300 T3 19980219

DOCDB simple family (application)

EP 87111197 A 19870803; DE 3782300 T 19870803