

Title (en)
FENCE ARRANGEMENT

Publication
EP 0258585 A3 19881005 (DE)

Application
EP 87110191 A 19870715

Priority
DE 3629935 A 19860903

Abstract (en)
[origin: EP0258585A2] The fence arrangement comprising posts (1) anchored at a distance from one another in the ground, and lattice works, such as wire or rod lattices (2), held on the posts, is equipped with a breakthrough safety device against motor vehicles. For this purpose, on the side of the fence facing the enclosed region, flexible, high-strength tension members (6, 6a) in the form of steel cables or chains are provided immediately adjacent to the said fence and running parallel to the latter at axle to chassis height of the motor vehicles, which tension members are fastened at intervals by their ends to separate anchoring posts (5), with the interposition of energy-consuming, elastically deformable or tubular load-limiting elements which are permanently deformable by compression (Fig. 1). <IMAGE>

IPC 1-7
E04H 17/00; **E01F 15/00**

IPC 8 full level
E01F 13/00 (2006.01); **E01F 15/00** (2006.01); **E01F 15/06** (2006.01); **E01F 15/12** (2006.01); **E04H 17/00** (2006.01); **E04H 17/06** (2006.01)

CPC (source: EP US)
E01F 13/00 (2013.01 - EP); **E01F 15/06** (2013.01 - EP); **E01F 15/12** (2013.01 - EP); **E04H 17/06** (2013.01 - EP US)

Citation (search report)
• [A] US 2106601 A 19380125 - COPELAND L T, et al
• [A] DE 1459802 B
• [A] DE 2821349 A1 19791122 - MAURICH ROLF VON
• [A] DE 2833353 A1 19800221 - KERNKRAFTWERK OBRIGHEIM GMBH

Cited by
NL1026719C2; IT201700014800A1; FR3062859A1; US10837148B2; EP0678626A1; NL1027390C2; CN103966959A; GB2447783A; GB2447783B; RU2677512C1; US2021381180A1; US11946212B2; US9458584B2; WO2018146625A1

Designated contracting state (EPC)
BE CH DE FR GB LI SE

DOCDB simple family (publication)
EP 0258585 A2 19880309; **EP 0258585 A3 19881005**; **EP 0258585 B1 19910109**; DE 3629935 A1 19880310; DE 3767250 D1 19910214

DOCDB simple family (application)
EP 87110191 A 19870715; DE 3629935 A 19860903; DE 3767250 T 19870715