

Title (en)

SHIP WITH A PROPELLER AT THE STERN AND METHOD TO PROPEL THE SHIP

Publication

EP 0259680 B1 19900808 (DE)

Application

EP 87112216 A 19870822

Priority

CH 366886 A 19860912

Abstract (en)

[origin: US4843993A] The hull has a draught at the rear end, corresponding to the normal position of the ship for deep-water operation, greater than the draught of the front end, the keel line thereof descending correspondingly front to rear. The central or middle draught corresponds to the design draught allowable for operation in shallow water. The hull has a system for trimming the fully laden ship employing stern and bow fuel tanks. For shallow water operation, the hull is lowered at the bow and raised correspondingly at the stern, by displacement of fuel from the stern tank to the bow tank, into a trim position in which the keel line extends parallel to the water line. This construction enables the screw to be optimized substantially independently of draught-imposed limitations and the screw can have a diameter greater by the amount of stern lift than fixedly mounted screws of conventional designs.

IPC 1-7

B63H 5/06

IPC 8 full level

B63B 43/06 (2006.01); **B63B 1/04** (2006.01); **B63H 5/07** (2006.01); **B63H 20/08** (2006.01)

CPC (source: EP KR US)

B63B 1/00 (2013.01 - KR); **B63B 1/04** (2013.01 - EP US); **B63H 5/07** (2013.01 - EP US)

Designated contracting state (EPC)

DE ES FR GB IT NL SE

DOCDB simple family (publication)

EP 0259680 A1 19880316; **EP 0259680 B1 19900808**; CH 670430 A5 19890615; CN 1008718 B 19900711; CN 87105881 A 19880323; DE 3764221 D1 19900913; DK 414187 A 19880313; DK 414187 D0 19870807; ES 2017978 B3 19910316; FI 873444 A0 19870807; FI 873444 A 19880313; JP S63232098 A 19880928; KR 880003805 A 19880530; NO 873809 D0 19870911; NO 873809 L 19880314; PL 267544 A1 19880915; US 4843993 A 19890704

DOCDB simple family (application)

EP 87112216 A 19870822; CH 366886 A 19860912; CN 87105881 A 19870825; DE 3764221 T 19870822; DK 414187 A 19870807; ES 87112216 T 19870822; FI 873444 A 19870807; JP 22754387 A 19870910; KR 870008478 A 19870801; NO 873809 A 19870911; PL 26754487 A 19870902; US 9425287 A 19870904