

Title (en)
ARC QUENCHING DEVICE

Publication
EP 0263293 B1 19920311 (DE)

Application
EP 87112437 A 19870827

Priority
DE 3630447 A 19860906

Abstract (en)
[origin: EP0263293A1] An arc quenching device (10) in an electrical contactor is arranged opposite a contact point with two contact pieces, between which an arc ignites when the contact point is opened. This arc is commutated onto arc conducting rails and runs from there into a quenching chamber which holds the quenching device (10). The latter is formed from a quenching plate stack (12) which is held by lateral wall sections (16) and whose individual quenching plates (20) are inserted in slots (28) in a rearward wall section (14). The webs (30) located between the slots in this case are used as spacers for the quenching plates (20). <IMAGE>

IPC 1-7
H01H 9/36

IPC 8 full level
H01H 9/30 (2006.01); **H01H 9/34** (2006.01); **H01H 9/36** (2006.01)

CPC (source: EP)
H01H 9/302 (2013.01); **H01H 9/342** (2013.01); **H01H 9/362** (2013.01)

Cited by
DE102009056480A1; DE102010053507A1; DE19757332C1; DE102010034264B3; DE10063255B4; FR2873511A1; EP1622179A1;
DE19518049A1; DE19518051A1; AU674719B2; DE102009056480B4; DE102009056190B3; DE102010053507B4; US6288354B1;
WO2006065129A1; WO2006018513A3; WO2011064091A1; WO2011066887A1; WO9417539A1; EP3846192A1

Designated contracting state (EPC)
DE GB IT

DOCDB simple family (publication)
DE 3630447 A1 19880310; DE 3777312 D1 19920416; EP 0263293 A1 19880413; EP 0263293 B1 19920311

DOCDB simple family (application)
DE 3630447 A 19860906; DE 3777312 T 19870827; EP 87112437 A 19870827