

Title (en)

INK JET PRINTER AND ITS PRINTING METHOD

Publication

EP 0265114 A3 19891011 (EN)

Application

EP 87308840 A 19871006

Priority

JP 24616086 A 19861016

Abstract (en)

[origin: EP0265114A2] Ink is flied under condition that ink flies in mist form according to relation of electric field value between a recording electrode and an opposite electrode and physical property value of the ink. Mist amount of the ink is adjusted thereby a dot is provided with tone without varying the diameter, and high density of the small diameter picture element enables the natural and smooth image formation.

IPC 1-7

B41J 3/04

IPC 8 full level

B41J 2/06 (2006.01); **B41J 2/205** (2006.01); **B41J 2/21** (2006.01)

CPC (source: EP)

B41J 2/06 (2013.01); **B41J 2/2128** (2013.01); **B41J 2002/061** (2013.01)

Citation (search report)

- [A] EP 0196820 A1 19861008 - TOKYO ELECTRIC CO LTD [JP]
- [A] DE 3019012 A1 19801120 - RICOH KK
- [A] GB 1471780 A 19770427 - XEROX CORP
- [AP] EP 0208322 A2 19870114 - TOKYO ELECTRIC CO LTD [JP]

Cited by

US8029103B2

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

EP 0265114 A2 19880427; **EP 0265114 A3 19891011**; JP S6399952 A 19880502

DOCDB simple family (application)

EP 87308840 A 19871006; JP 24616086 A 19861016