

Title (en)
EXTINGUISHING INSTALLATION FOR A FIRE ENGINE

Publication
EP 0265605 B1 19900725 (DE)

Application
EP 87111464 A 19870807

Priority
DE 3634453 A 19861009

Abstract (en)
[origin: EP0265605A1] 1. A fire extinguishing system for a fire fighting vehicle consisting of a tank filled with dry powder which is pressurized via a charging line by means of high-pressure propellant gas contained in separate tanks, with one or more consuming devices connected to the tank, characterized in that the fire extinguishing system is used as a combined dry powder and gas extinguishing system via separate consuming devices, where the high-pressure gas is an extinguishing gas, which is used both to charge the dry powder system and to extinguish fires, and in that the high-pressure gas is conducted to the dry powder tank by means of pressure reduction in the charging line in case of operation.

IPC 1-7
A62C 27/00; **A62C 35/62**; **A62C 35/64**

IPC 8 full level
A62C 27/00 (2006.01); **A62C 35/58** (2006.01); **A62C 35/62** (2006.01); **A62C 35/64** (2006.01)

CPC (source: EP)
A62C 27/00 (2013.01); **A62C 35/58** (2013.01)

Cited by
CN105031860A; CN111569318A; EP1142611A1; CN111450455A

Designated contracting state (EPC)
AT BE ES FR GB GR IT NL SE

DOCDB simple family (publication)
EP 0265605 A1 19880504; **EP 0265605 B1 19900725**; AT E54833 T1 19900815; DE 3634453 A1 19880414; DE 3634453 C2 19910117; DK 486787 A 19880410; DK 486787 D0 19870916; ES 2017082 B3 19910101; GR 3000763 T3 19911010; NO 168088 B 19911007; NO 168088 C 19920115; NO 873061 D0 19870722; NO 873061 L 19880411; PT 85763 A 19881130; PT 85763 B 19930730; TR 23053 A 19890214

DOCDB simple family (application)
EP 87111464 A 19870807; AT 87111464 T 19870807; DE 3634453 A 19861009; DK 486787 A 19870916; ES 87111464 T 19870807; GR 900400620 T 19900906; NO 873061 A 19870722; PT 8576387 A 19870921; TR 66487 A 19870922