

Title (en)
PROTECTIVE RESISTOR CIRCUITRY FOR LIMITING CURRENT AT X-RAY GENERATORS

Publication
EP 0267568 A3 19891206 (DE)

Application
EP 87116532 A 19871109

Priority
DE 3639088 A 19861114

Abstract (en)
[origin: EP0267568A2] The protective resistor (S) is arranged in or on the X-ray emitter (RS) in order to limit, in the event of a breakdown, even the current resulting from the cable capacitance (C) of the high-voltage cable (HK) between the X-ray generator (HE) and the X-ray emitter (RS). The invention is used in technical X-ray devices in which the X-ray emitter is connected to the X-ray generator by a high-voltage cable which is up to 10 m long. <IMAGE>

IPC 1-7
H05G 1/06; **H05G 1/54**

IPC 8 full level
H05G 1/06 (2006.01); **H05G 1/08** (2006.01); **H05G 1/54** (2006.01)

CPC (source: EP)
H05G 1/06 (2013.01); **H05G 1/08** (2013.01); **H05G 1/54** (2013.01)

Citation (search report)

- [X] DE 610555 C 19350314 - SIEMENS REINIGER WERKE AG
- [A] DE 393871 C 19240416 - C H F MUELLER SPEZIALFABRIK FU
- [A] DE 1809583 A1 19691106 - DUNLEE CORP
- [A] GB 2100960 A 19830106 - THOMSON CSF [FR]
- [A] US 3683191 A 19720808 - MACLACHLAN ROBERT K, et al
- [A] EP 0198741 A1 19861022 - THOMSON CGR [FR]

Cited by
EP0416696A3; EP0515198A1; EP0421720A3; US5229743A; EP0497517A1; EP0592164A1; US5347571A; US4972459A; WO9210921A1

Designated contracting state (EPC)
DE ES FR GB IT NL

DOCDB simple family (publication)
EP 0267568 A2 19880518; **EP 0267568 A3 19891206**; **EP 0267568 B1 19940209**; DE 3639088 A1 19880526; DE 3789047 D1 19940324

DOCDB simple family (application)
EP 87116532 A 19871109; DE 3639088 A 19861114; DE 3789047 T 19871109