

Title (en)

METHOD FOR CONTINUOUSLY PRODUCING CORE YARNS ON RING-SPINNING FRAMES, THE CORE YARNS BEING COMPOSED OF LONG FIBRES SURROUNDED BY AN OUTER LAYER

Publication

EP 0271418 B1 19910821 (FR)

Application

EP 87420328 A 19871203

Priority

FR 8617603 A 19861205

Abstract (en)

[origin: EP0271418A1] The core composed of long-fibre yarns, preferably obtained by cracking, is raised in twist during the actual spinning operation carried out continuously on a ring-spinning frame without reaching its critical twist coefficient α^0 , the cover of the said core being made of long fibres or short fibres. The twist coefficient of the core yarn lies between 20 and 85. <IMAGE>

IPC 1-7

D02G 3/26; **D02G 3/36**

IPC 8 full level

D01H 1/02 (2006.01); **D02G 3/26** (2006.01); **D02G 3/36** (2006.01)

CPC (source: EP)

D02G 3/26 (2013.01); **D02G 3/36** (2013.01); **D10B 2201/02** (2013.01); **D10B 2201/24** (2013.01); **D10B 2331/021** (2013.01)

Citation (examination)

EP 0126659 A1 19841128 - BAULIP FIL SARL [FR]

Cited by

FR2691721A1; EP1518951A3; FR2821091A1; US6887568B2; WO9324690A1; WO02066719A1; US7155891B2; US7493747B2

Designated contracting state (EPC)

AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0271418 A1 19880615; **EP 0271418 B1 19910821**; AT E66500 T1 19910915; DE 3772346 D1 19910926; ES 2025690 T3 19920401; FR 2607835 A1 19880610; FR 2607835 B1 19900209; GR 3002611 T3 19930125; JP 2726666 B2 19980311; JP S63152421 A 19880624

DOCDB simple family (application)

EP 87420328 A 19871203; AT 87420328 T 19871203; DE 3772346 T 19871203; ES 87420328 T 19871203; FR 8617603 A 19861205; GR 910401241 T 19910827; JP 30347687 A 19871202