

Title (en)

METHOD FOR CONTINUOUSLY PRODUCING CORE YARNS ON RING-SPINNING FRAMES, THE CORE YARNS BEING COMPOSED OF LONG FIBRES SURROUNDED BY AN OUTER LAYER

Publication

EP 0271418 B1 19910821 (FR)

Application

EP 87420328 A 19871203

Priority

FR 8617603 A 19861205

Abstract (en)

[origin: EP0271418A1] The core composed of long-fibre yarns, preferably obtained by cracking, is raised in twist during the actual spinning operation carried out continuously on a ring-spinning frame without reaching its critical twist coefficient alpha "0, the cover of the said core being made of long fibres or short fibres. The twist coefficient of the core yarn lies between 20 and 85. <IMAGE>

IPC 1-7

D02G 3/26; D02G 3/36

IPC 8 full level

D01H 1/02 (2006.01); **D02G 3/26** (2006.01); **D02G 3/36** (2006.01)

CPC (source: EP)

D02G 3/26 (2013.01); **D02G 3/36** (2013.01); **D10B 2201/02** (2013.01); **D10B 2201/24** (2013.01); **D10B 2331/021** (2013.01)

Citation (examination)

EP 0126659 A1 19841128 - BAULIP FIL SARL [FR]

Cited by

FR2691721A1; EP1518951A3; FR2821091A1; US6887568B2; WO9324690A1; WO02066719A1; US7155891B2; US7493747B2

Designated contracting state (EPC)

AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0271418 A1 19880615; EP 0271418 B1 19910821; AT E66500 T1 19910915; DE 3772346 D1 19910926; ES 2025690 T3 19920401; FR 2607835 A1 19880610; FR 2607835 B1 19900209; GR 3002611 T3 19930125; JP 2726666 B2 19980311; JP S63152421 A 19880624

DOCDB simple family (application)

EP 87420328 A 19871203; AT 87420328 T 19871203; DE 3772346 T 19871203; ES 87420328 T 19871203; FR 8617603 A 19861205; GR 910401241 T 19910827; JP 30347687 A 19871202