

Title (en)  
FLORENTINE BLIND

Publication  
**EP 0271636 A3 19880928 (DE)**

Application  
**EP 87111440 A 19870807**

Priority  
DE 3642873 A 19861216

Abstract (en)  
[origin: EP0271636A2] A Florentine blind contains a rotatably mounted driveable cloth shaft, on which can be wound a Florentine cloth fastened to it at the end. Two drop arms (5) mounted pivotably about a pivot axis at one end in wall pivot bearings (6) serve for tensioning the lowered Florentine cloth, and for this purpose they are prestressed in the direction of the swung-down position by means of a prestressing device (11). Each of the drop arms (5) consists of two parts (9, 10) movable relative to one another in the longitudinal direction, the prestressing device (11) being arranged cinematically between these two parts (9, 10), whilst the part (9) of the drop arms (5) which is connected to the drop rod is anchored to the pivot bearing (6) via a tension means (29) guided about the pivot axis (7). <IMAGE>

IPC 1-7  
**E04F 10/06**

IPC 8 full level  
**E04F 10/06** (2006.01)

CPC (source: EP)  
**E04F 10/0614** (2013.01); **E04F 10/0651** (2013.01)

Citation (search report)

- [X] DE 2736721 A1 19780223 - MADOPRON BV
- [X] US 1897029 A 19330214 - BELL EDWIN F, et al
- [X] US 1915529 A 19330627 - HEISER HENRY C
- [X] US 1980991 A 19341120 - PETER GRONBECH HANS
- [A] DE 2212893 B1 19730222 - HUEPPE JUSTIN FA
- [A] FR 2519062 A1 19830701 - LAUZIER SA [FR]
- [A] FR 2334802 A1 19770708 - PERMA SYSTEM AB [SE]
- [A] FR 2115739 A5 19720707 - LAUZIER RENE
- [A] DE 3047895 A1 19820715 - CLAUSS MARKISEN [DE]
- [A] DE 3508918 A1 19860925 - CLAUSS MANFRED
- [A] US 1476464 A 19231204 - EILER POULSEN

Cited by  
AT409515B; ES2316203A1; ES2351497A1; ITPD20130035A1

Designated contracting state (EPC)  
AT BE CH DE ES FR GB IT LI NL

DOCDB simple family (publication)  
**EP 0271636 A2 19880622; EP 0271636 A3 19880928; EP 0271636 B1 19910619**; AT E64643 T1 19910715; DE 3642873 A1 19880630; DE 3770923 D1 19910725

DOCDB simple family (application)  
**EP 87111440 A 19870807**; AT 87111440 T 19870807; DE 3642873 A 19861216; DE 3770923 T 19870807