

Title (en)
DIVISIBLE ELECTRICALLY WELDED MESH

Publication
EP 0272539 A3 19890208 (EN)

Application
EP 87118128 A 19871208

Priority
IT 8345786 A 19861223

Abstract (en)
[origin: EP0272539A2] Divisible two-net electrically welded mesh (10) to provide two symmetrical electrically welded meshes (14a-14b) with transverse elements protruding by a determined value (A-A'), in which mesh the two intermediate lengthwise elements (111) are positioned on each side of the lengthwise centre line at a distance substantially of $A+A'+B$ from each other. Method to obtain two symmetrical electrically welded meshes (14a-14b) with transverse elements normally protruding by a determined value (A-A') from a two-net electrically welded mesh (10), a required extent (B) of lengthwise spacing being provided between the two meshes (14a-14b) during manufacture, the two intermediate lengthwise elements (111) positioned at the sides of the lengthwise centre line being located substantially at a distance (13) of $A+A'+B$ from each other, the portions of the transverse elements positioned between the intermediate lengthwise elements (111) being sheared at two points at a distance B from each other.

IPC 1-7
E04C 5/04

IPC 8 full level
E04C 5/04 (2006.01)

CPC (source: EP)
E04C 5/04 (2013.01)

Citation (search report)
[X] DE 7211418 U 19761028

Cited by
AT405663B; EP0338305A1

Designated contracting state (EPC)
AT BE CH DE ES FR GB GR LI LU NL SE

DOCDB simple family (publication)
EP 0272539 A2 19880629; EP 0272539 A3 19890208; IT 1216405 B 19900228; IT 8683457 A0 19861223

DOCDB simple family (application)
EP 87118128 A 19871208; IT 8345786 A 19861223