

Title (en)

SET OF PAVING ELEMENTS PROVIDED WITH VERTICAL TEETH AT THEIR PERIMETERS, METHOD FOR ITS MANUFACTURE AND USE OF THE MANUFACTURED PAVING ELEMENTS

Publication

**EP 0274344 B1 19901107 (DE)**

Application

**EP 87810006 A 19870107**

Priority

EP 87810006 A 19870107

Abstract (en)

[origin: EP0274344A1] In the set of paving elements, the longitudinal sides of all the paving elements (1...5) of a set each have two teeth (12) and the spacing (DL) between two tooth centres (Z) is the same for a set. Starting from a standard element (1) having a length (N) and a largest width (B) and a spacing A from the tooth centre (Z) to the outer edge, the spacings (A +/- 1S, 2S, ...nS) from the tooth centre to the outer edge of the elements within a set can be infinitely variable, S being any desired distance and the spacing between the two inner edges of the teeth (12) being at least N/2. The greatest width as well as the width of the paving elements within a set is variable. In the production of the elements, their dimensions can be chosen and varied in such a way that different dimensions of the mould box can be used. During the mechanical laying of the paving elements, the entire stack of paving elements, which is manufactured on a formed sheet, is seized by the laying machine, every second row is displaced by half the length (N/2) of the standard element (1) and the whole stack is laid at once. <IMAGE>

IPC 1-7

**E01C 5/00**

IPC 8 full level

**E01C 5/00** (2006.01)

CPC (source: EP)

**E01C 5/00** (2013.01); **E01C 2201/02** (2013.01); **E01C 2201/06** (2013.01)

Cited by

BE1015006A3; US5533827A; EP0930399A3; EP0428762A1; DE4036444B4; US6536988B2; US6168347B1; WO9522660A1; WO9318232A1; WO2009021484A1; WO9954552A1; WO9943888A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0274344 A1 19880713**; **EP 0274344 B1 19901107**; AT E58192 T1 19901115; DE 3766091 D1 19901213; DK 163436 B 19920302; DK 163436 C 19920720; DK 667287 A 19880708; DK 667287 D0 19871217; NO 880039 D0 19880106; NO 880039 L 19880708

DOCDB simple family (application)

**EP 87810006 A 19870107**; AT 87810006 T 19870107; DE 3766091 T 19870107; DK 667287 A 19871217; NO 880039 A 19880106