

Title (en)
TOROIDAL-CORE TRANSFORMER WITH AT LEAST TWO WINDINGS

Publication
EP 0276419 B1 19920610 (DE)

Application
EP 87118025 A 19871205

Priority
DE 3701686 A 19870122

Abstract (en)
[origin: EP0276419A2] Toroidal-core transformers normally have a plurality of windings wound concentrically spaced at a distance from the cross-section of the toroidal-core (9). By means of insulating rings (7), preferably of roof-shaped design, which are supported on opposite sides of a toroidal-core, a plurality of concentric windings (6, 10) can be fitted, with a defined separation from the toroidal-core. In comparison to insulation arrangements with plastic housings (troughs) this results in improved dielectric strength with the same dimensions. Moreover, toroidal-core transformers of different core heights can be produced with the same types of insulating ring. <IMAGE>

IPC 1-7
H01F 27/30; **H01F 31/00**

IPC 8 full level
H01F 27/32 (2006.01); **H01F 27/30** (2006.01); **H01F 30/16** (2006.01)

CPC (source: EP)
H01F 27/306 (2013.01); **H01F 30/16** (2013.01)

Designated contracting state (EPC)
CH DE FR GB IT LI SE

DOCDB simple family (publication)
EP 0276419 A2 19880803; **EP 0276419 A3 19880817**; **EP 0276419 B1 19920610**; DE 3701686 A1 19880804; DE 3779746 D1 19920716; JP 2587017 B2 19970305; JP S63188911 A 19880804

DOCDB simple family (application)
EP 87118025 A 19871205; DE 3701686 A 19870122; DE 3779746 T 19871205; JP 568588 A 19880112