

Title (en)  
INSTALLATION FOR CONTINUOUS CASTING OF FINE METAL STRANDS, ESPECIALLY STEEL

Publication  
**EP 0278202 B1 19911227 (DE)**

Application  
**EP 87730150 A 19871117**

Priority  
DE 3703997 A 19870210

Abstract (en)  
[origin: EP0278202A2] The installation for continuous casting of strands of less than 20 mm thickness is formed by a pair of circular-cylindrical cooled rollers (1, 2) which are synchronously driven in rotation in the running direction of the strand and the length of which approximately corresponds to the strand width and the roller shell spacing of which in the axis plane (4) corresponds to the strand thickness, a feed tank (6) for the molten metal being provided at a funnel (5) formed by the pair (1, 2) of rollers. For sealing the ends on such roller crystallisers, it is proposed that the feed tank (6) together with the roller shells (10a, 10b) forms a seal (9) at the outer surfaces (8a, 8b) facing the rollers (1, 2) and that a casting chamber (12) formed underneath outlet orifices (11) of the feed tank (6) is sealed in the end regions (1a, 1b) of the rollers (1, 2) in each case by means of an end wall (6a) provided on the feed tank (6), and that the rollers (1, 2), each projecting beyond the strand width by the thickness (15) of the end wall (6a), form a running gap (14) in the end regions (1a, 1b). <IMAGE>

IPC 1-7  
**B22D 11/06**

IPC 8 full level  
**B22D 11/06** (2006.01)

CPC (source: EP)  
**B22D 11/0622** (2013.01); **B22D 11/0642** (2013.01)

Cited by  
CN110000350A; EP1017520A4; WO9112101A3

Designated contracting state (EPC)  
FR GB IT

DOCDB simple family (publication)  
**EP 0278202 A2 19880817**; **EP 0278202 A3 19881228**; **EP 0278202 B1 19911227**; DE 3703997 A1 19880818; DE 3703997 C2 19890824; JP 2843983 B2 19990106; JP S63199052 A 19880817

DOCDB simple family (application)  
**EP 87730150 A 19871117**; DE 3703997 A 19870210; JP 33677587 A 19871228