

Title (en)
AGGLUTINATION REAGENT AND METHOD OF PREPARING SAME

Publication
EP 0280561 A3 19900912 (EN)

Application
EP 88301656 A 19880226

Priority
• US 1985087 A 19870227
• US 9843287 A 19870918

Abstract (en)
[origin: EP0280561A2] An agglutination reagent is prepared by covalently attaching an immunoreactive species to polymeric particles through reactive groups in the species. After attachment, the species is chemically modified with an acylating, alkylating or sulfonylating agent thereby modifying primary or secondary amino groups. The reagent can be used in agglutination assays for a number of analytes, including Streptococcus A antigen, human retroviruses or antibodies, human chorionic gonadotropin and other antibodies or antigens.

IPC 1-7
G01N 33/546; G01N 33/532; G01N 33/569; G01N 33/76

IPC 8 full level
G01N 33/543 (2006.01)

CPC (source: EP)
G01N 33/54313 (2013.01)

Citation (search report)
• [XD] EP 0124320 A2 19841107 - MORINAGA MILK INDUSTRY CO LTD [JP]
• [X] PATENT ABSTRACTS OF JAPAN, vol. 10, no. 282 (P-500)[2338], 25th September 1986; & JP-A-61 100 660 (MORINAGA MILK IND. CO., LTD) 19-05-1986
• [A] NATURE, vol. 210, 30th April 1986, pages 536-537; J. LENARD et al.: "Succinylation of gamma globulin"

Cited by
EP1010981A1; EP0785432A1; FR2743891A1; US5817468A; WO0037942A1; WO2021122411A3

Designated contracting state (EPC)
CH DE FR GB LI

DOCDB simple family (publication)
EP 0280561 A2 19880831; **EP 0280561 A3 19900912**; **EP 0280561 B1 19930922**; DE 3884235 D1 19931028; DE 3884235 T2 19940428; JP H0614047 B2 19940223; JP S63231265 A 19880927

DOCDB simple family (application)
EP 88301656 A 19880226; DE 3884235 T 19880226; JP 4239988 A 19880226