

Title (en)
SHEET-DELIVERING DEVICE

Publication
EP 0280860 B1 19920930 (DE)

Application
EP 88100812 A 19880120

Priority
DE 3706834 A 19870303

Abstract (en)
[origin: US4858905A] In a dispensing device for sheet material that includes a draw-off device and a single feed device with at least one draw-off roll, several conveyor rolls (22) arranged side by side with some axial spacing and with mating rolls (24) that are axially offset and are radially adjustable with respect to the conveyor rolls (22), where the mating rolls (24) and at least one of the conveyor rolls (22) that can be driven in the same direction with the former are made of a hard material, a ring-shaped strip (44) made of an elastic deformable material is embedded in the peripheral surface of the conveyor roll (22) that is made of a hard material where the axial width of this ring is smaller than the axial width of the peripheral surface of the conveyor roll (22) and projects radially above the peripheral surface in the unloaded state.

IPC 1-7
B65H 3/06; **B65H 3/52**

IPC 8 full level
G07D 1/00 (2006.01); **B65H 3/06** (2006.01); **B65H 3/52** (2006.01)

CPC (source: EP US)
B65H 3/0653 (2013.01 - EP US); **B65H 3/5246** (2013.01 - EP US); **B65H 2404/1321** (2013.01 - EP US); **B65H 2404/1414** (2013.01 - EP US); **B65H 2404/1415** (2013.01 - EP US); **B65H 2701/1912** (2013.01 - EP US)

Cited by
EP0511424A1; EP2251286A3; WO9616887A1; WO9615966A3; WO2010121989A1

Designated contracting state (EPC)
DE FR GB IT SE

DOCDB simple family (publication)
EP 0280860 A2 19880907; **EP 0280860 A3 19890510**; **EP 0280860 B1 19920930**; DE 3706834 A1 19880915; DE 3706834 C2 19921210; DE 3874910 D1 19921105; JP H0729064 Y2 19950705; JP S63142347 U 19880920; US 4858905 A 19890822

DOCDB simple family (application)
EP 88100812 A 19880120; DE 3706834 A 19870303; DE 3874910 T 19880120; JP 2446188 U 19880225; US 16271588 A 19880301