

Title (en)
VALVE ARRANGEMENT

Publication
EP 0282758 B1 19911016 (DE)

Application
EP 88102493 A 19880220

Priority
DE 3708573 A 19870317

Abstract (en)
[origin: EP0282758A2] A heat generator has, in addition to a main pipe (2) which conducts a fuel/air mixture of regulated composition, an alternatively connectable and disconnectable secondary pipe (21) with an associated fuel pipe. There is a requirement for a simply designed and reliable valve arrangement for connecting or disconnecting the secondary pipe and associated fuel pipe. The secondary pipe (21) and the fuel pipe open next to one another into the main pipe (2), preferably in the region of a chamber (31), and the mouths (38, 46) of both pipes are assigned a common slider (51) which can alternatively be brought into a position simultaneously opening or closing the two mouths. <IMAGE>

IPC 1-7
F23N 1/02

IPC 8 full level
F23N 1/02 (2006.01)

CPC (source: EP)
F23N 1/025 (2013.01); **F23N 2235/10** (2020.01); **F23N 2235/24** (2020.01); **F23N 2237/20** (2020.01)

Cited by
GB2317444B; US9835265B2; US10503181B2; US9657946B2; WO2020030323A1; US9683674B2; US10215291B2; US10697815B2; US9851103B2; US10851993B2; US9645584B2; US10203049B2; US10422531B2; US11421875B2; US9846440B2; US10564062B2; US9841122B2; US11073281B2; US9995486B2; US10024439B2; US10697632B2

Designated contracting state (EPC)
AT BE CH DE FR GB IT LI NL

DOCDB simple family (publication)
EP 0282758 A2 19880921; EP 0282758 A3 19881214; EP 0282758 B1 19911016; AT E68580 T1 19911115; DE 3708573 A1 19880929; DE 3865467 D1 19911121

DOCDB simple family (application)
EP 88102493 A 19880220; AT 88102493 T 19880220; DE 3708573 A 19870317; DE 3865467 T 19880220