

Title (en)

ACTUATOR, ESPECIALLY FOR A LINEAR POTENTIOMETER

Publication

EP 0292016 A3 19900620 (DE)

Application

EP 88108165 A 19880520

Priority

DE 3717117 A 19870521

Abstract (en)

[origin: EP0292016A2] The process for manufacturing an actuator, having a sliding body (7) which is guided such that it can move in the longitudinal hole (2) of a guide element (1), consists of the sliding body being injection-moulded directly onto the guide element, using plastic injection moulding technology, the guide element serving as a part of the injection-moulded shape. As a result of the plastic shrinking during curing, there is always a precise bearing play, depending on the dimensional tolerances of the guide element. <IMAGE>

IPC 1-7

F16C 29/02; **H01C 10/38**

IPC 8 full level

F16C 29/02 (2006.01); **H01C 10/38** (2006.01)

CPC (source: EP)

H01C 10/38 (2013.01)

Citation (search report)

[AD] DE 2627346 A1 19761223 - MATSUSHITA ELECTRIC IND CO LTD

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

EP 0292016 A2 19881123; **EP 0292016 A3 19900620**; **EP 0292016 B1 19931020**; DE 3717117 A1 19881201; DE 3717117 C2 19911205; DE 3884996 D1 19931125

DOCDB simple family (application)

EP 88108165 A 19880520; DE 3717117 A 19870521; DE 3884996 T 19880520