

Title (en)  
DEWATERING PRESS WITH STEAM SUPPLY

Publication  
**EP 0304561 B1 19911127 (DE)**

Application  
**EP 88108738 A 19880601**

Priority  
DE 3728124 A 19870822

Abstract (en)  
[origin: EP0304561A1] The dewatering of the paper web (1) takes place by means of a flow of steam led through the paper web (1) in a press nip (2) between two pressing surfaces (3 and 4) under such pressure that at least part of the paper web (1) becomes saturated. In order to effect this flow of steam, means are introduced in the area of the press nip (2) to guide the flow of steam from the upper to the under surface of the paper web (1) running through the press nip (2) with simultaneous removal from the undersurface of the paper web. In one embodiment, the means are an upper roll (3) with a perforated jacket (5), through which the externally produced steam is led under pressure into the press nip (2), and a lower roll (4) with a perforated jacket (6), through which the steam, together with the liquid expressed from the paper web, is sucked out and removed.  
<IMAGE>

IPC 1-7  
**D21F 3/02**

IPC 8 full level  
**D21F 3/02** (2006.01)

CPC (source: EP)  
**D21F 3/0218** (2013.01); **D21F 3/0272** (2013.01); **B65H 2801/84** (2013.01)

Citation (examination)  
EP 0151447 A2 19850814 - ESCHER WYSS GMBH [DE]

Cited by  
EP0780512A1; EP1362950A1; EP0818573A3; EP1088933A3; EP4230792A1; US6645420B1

Designated contracting state (EPC)  
AT DE GB IT SE

DOCDB simple family (publication)  
**EP 0304561 A1 19890301**; **EP 0304561 B1 19911127**; AT E69840 T1 19911215; DE 3728124 A1 19890302; DE 3728124 C2 19910627; DE 3866469 D1 19920109

DOCDB simple family (application)  
**EP 88108738 A 19880601**; AT 88108738 T 19880601; DE 3728124 A 19870822; DE 3866469 T 19880601