

Title (en)  
SWITCHING POWER SUPPLY

Publication  
**EP 0309892 B1 19930818 (DE)**

Application  
**EP 88115517 A 19880922**

Priority  
DE 3733474 A 19870930

Abstract (en)  
[origin: EP0309892A2] The power supply circuit has a bridge rectifier (1) at its input connected to a primary winding (2) of a transformer (Tr). Connected to the other end of this winding is a switching transistor (T1) which is alternately blocked and rendered conductive by an oscillator (o). Voltage pulses from the transformer are passed to a rectifier (12) to obtain a control voltage (Ur) applied to an input connection (f) of the oscillator so that its operating frequency is lowered as the control voltage is reduced. This control voltage also controls the switching on time of the switching transistor, stabilising its operating voltage.

IPC 1-7  
**H02M 3/335; H02M 3/338**

IPC 8 full level  
**H02M 3/28** (2006.01); **H02M 3/335** (2006.01); **H02M 3/338** (2006.01)

CPC (source: EP KR US)  
**H02M 3/335** (2013.01 - KR); **H02M 3/338** (2013.01 - EP US); **H02M 1/0032** (2021.05 - EP US); **Y02B 70/10** (2013.01 - EP US)

Cited by  
CN110912408A

Designated contracting state (EPC)  
AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0309892 A2 19890405; EP 0309892 A3 19900131; EP 0309892 B1 19930818**; AT E93349 T1 19930915; DE 3733474 A1 19890420; DE 3883333 D1 19930923; ES 2043753 T3 19940101; HK 9696 A 19960126; JP 2755612 B2 19980520; JP H01103158 A 19890420; KR 0135292 B1 19980422; KR 890005958 A 19890518; US 4975823 A 19901204

DOCDB simple family (application)  
**EP 88115517 A 19880922**; AT 88115517 T 19880922; DE 3733474 A 19870930; DE 3883333 T 19880922; ES 88115517 T 19880922; HK 9696 A 19960118; JP 23386988 A 19880920; KR 880012770 A 19880930; US 43151489 A 19891103