

Title (en)
SPRAY GUN

Publication
EP 0313958 A3 19900117 (DE)

Application
EP 88117291 A 19881018

Priority
DE 8714271 U 19871027

Abstract (en)
[origin: EP0313958A2] A spray gun has a locking element (9) at the lower end of the delivery lever (3), which is rotatably mounted near to its upper end. The locking element (9) can be moved from a release position outside the path of the lower end of the delivery lever into a locking position in this path. This type of attachment does not lead to a disruptive shortening of the working stroke of the delivery lever (3). <IMAGE>

IPC 1-7
B05B 15/00; B05B 9/01

IPC 8 full level
B05B 9/01 (2006.01); **B05B 12/00** (2018.01); **B05B 15/00** (2018.01)

CPC (source: EP US)
B05B 12/0026 (2018.07 - EP US); **B05B 15/00** (2013.01 - EP US)

Citation (search report)
• [X] DE 3407744 A1 19850912 - KAERCHER GMBH & CO ALFRED [DE]
• [X] DE 2102252 B2 19810205
• [A] US 4225087 A 19800930 - LAWLOR CHRISTOPHER
• [A] DE 2345504 B2 19770407
• [A] US 4166579 A 19790904 - BEISE THEODORE W [US], et al

Cited by
DE102016009957A1; DE9320260U1; EP0715827A3; CN104475285A; DE202016005029U1; US10464076B2; US11801521B2; US10702879B2; USD835235S; US10189037B2; US10471449B2; US11141747B2; US10835911B2; US11826771B2; US11865558B2

Designated contracting state (EPC)
AT BE DE FR GB IT NL SE

DOCDB simple family (publication)
EP 0313958 A2 19890503; EP 0313958 A3 19900117; EP 0313958 B1 19911218; AT E70470 T1 19920115; DE 3867031 D1 19920130;
DE 8714271 U1 19871217

DOCDB simple family (application)
EP 88117291 A 19881018; AT 88117291 T 19881018; DE 3867031 T 19881018; DE 8714271 U 19871027