

Title (en)

METHOD AND SPLICING DEVICE FOR STRIPS OF PAPER FOR THE CONTINUOUS FEEDING OF A MACHINE, PARTICULARLY FOR MAKING CIGARETTES

Publication

EP 0318427 B1 19910717 (FR)

Application

EP 88810748 A 19881103

Priority

CH 441387 A 19871112

Abstract (en)

[origin: EP0318427A1] The final segment (5) of the strip (8) which was wound over the first reel (3) is fixed in relation to the bearing element (19) by means of suckers (16, 17, 18). It is cut by means of the cutter (29), the rear part being moved away by blowing. The initial segment (6) of the new strip (11) is then brought between the punch (20) and the bearing element (19), fixed by means of the sucker (18) and connected to the final segment (5) by interpenetration of the material of the two superposed connecting zones under the effect of the punch (20). <IMAGE>

IPC 1-7

A24C 5/20; B65H 19/18

IPC 8 full level

A24C 5/20 (2006.01); B65H 19/18 (2006.01)

CPC (source: EP US)

A24C 5/20 (2013.01 - EP US); B65H 19/1852 (2013.01 - EP US); B65H 19/1863 (2013.01 - EP US); B65H 2301/46115 (2013.01 - EP US); B65H 2301/46174 (2013.01 - EP US); B65H 2301/4632 (2013.01 - EP US); B65H 2301/46412 (2013.01 - EP US); B65H 2406/351 (2013.01 - EP US)

Cited by

EP0395024A3; AU651583B2; US5360502A; CN110386492A; EP0716996A2; WO9116256A1; WO2016066695A1

Designated contracting state (EPC)

CH DE GB IT LI

DOCDB simple family (publication)

EP 0318427 A1 19890531; EP 0318427 B1 19910717; DE 3863761 D1 19910822; US 5018535 A 19910528

DOCDB simple family (application)

EP 88810748 A 19881103; DE 3863761 T 19881103; US 26897588 A 19881109