

Title (en)

WEFT INSERTION DEVICE FOR PNEUMATIC LOOMS WITH AT LEAST TWO BUNDLED NOZZLES

Publication

EP 0318802 B1 19910710 (DE)

Application

EP 88119391 A 19881122

Priority

DE 3740666 A 19871201

Abstract (en)

[origin: EP0318802A1] The invention relates to a weft insertion device for pneumatic looms having flush-disposed main insertion nozzles, a funnel-shaped alignment aid and a guide channel along the reed. In contradistinction to existing devices of this kind, the invention provides that only the insertion nozzles be pivoted together with the reed in the course of the beating-up of the weft thread, whereas the alignment aid is fixed and its funnel-shaped, tapered opening for the weft thread is constructed as a slot which extends over part of the pivot path of the guide channel provided at the reed and which is also open in the direction of the weft thread shears. Since the components are close together in the weft direction, the weft thread drop is kept to a minimum. The effectiveness of the weft thread shears is in no way impaired and the time available for weft insertion is increased or the weaving rate of the loom can be increased. <IMAGE>

IPC 1-7

D03D 47/30; **D03D 47/38**

IPC 8 full level

D03D 47/30 (2006.01); **D03D 47/38** (2006.01); **D03D 49/62** (2006.01)

CPC (source: EP US)

D03D 47/278 (2013.01 - EP US); **D03D 47/3013** (2013.01 - EP US); **D03D 47/3046** (2013.01 - EP US); **D03D 49/62** (2013.01 - EP US)

Cited by

BE1024804B1; US6014992A; EP0695821A1; EP0919653A3; US6223779B1; WO9713901A1; WO9845517A1

Designated contracting state (EPC)

BE CH DE FR GB IT LI

DOCDB simple family (publication)

EP 0318802 A1 19890607; **EP 0318802 B1 19910710**; DE 3740666 C1 19890302; DE 3863632 D1 19910814; JP H0226961 A 19900129; US 4905741 A 19900306

DOCDB simple family (application)

EP 88119391 A 19881122; DE 3740666 A 19871201; DE 3863632 T 19881122; JP 30512488 A 19881201; US 27822288 A 19881130