

Title (en)

**BOGIE FOR RAIL VEHICLE WITH TRANSMISSION THROUGH A MECHANICAL DIFFERENTIAL GEAR**

Publication

**EP 0318920 B1 19921111 (FR)**

Application

**EP 88119885 A 19881129**

Priority

FR 8716791 A 19871203

Abstract (en)

[origin: EP0318920A1] Bogie for a rail vehicle, connected to the body of the vehicle by a load-bearing cross-beam (T), and with one or two axles (E) and corresponding motors (M) with transmission through a mechanical differential gear (D) placed in between a motor and the wheels (R1, R2) which it drives. The motor (M) and the differential (D) are suspended from the load-bearing cross-beam (T). <IMAGE>

IPC 1-7

**B61C 9/48; B61F 3/04**

IPC 8 full level

**B61C 9/48** (2006.01); **B61F 3/04** (2006.01)

CPC (source: EP)

**B61C 9/48** (2013.01); **B61F 3/04** (2013.01)

Cited by

CN110920642A; EP0911239A1; FR2770190A1

Designated contracting state (EPC)

BE DE FR GB IT

DOCDB simple family (publication)

**EP 0318920 A1 19890607; EP 0318920 B1 19921111**; DE 3875915 D1 19921217; DE 3875915 T2 19930325; FR 2624079 A1 19890609; FR 2624079 B1 19920430

DOCDB simple family (application)

**EP 88119885 A 19881129**; DE 3875915 T 19881129; FR 8716791 A 19871203