

Title (en)  
CONTAINER

Publication  
**EP 0319665 A3 19900926 (DE)**

Application  
**EP 88116604 A 19881007**

Priority  
• DE 3734357 A 19871010  
• DE 3800205 A 19880107

Abstract (en)  
[origin: EP0319665A2] A container, which has a base plate, two end walls and a hood, is guided in the region of the base plate. The hood is constructed as a rigid part and is mounted so as to be positionable in relation to the base plate. The hood is mounted so as to be displaceable at least in the direction of a longitudinal axis of the base plate relative to the latter. The hood has a bearing which extends in the longitudinal direction of the base plate and has at least at one point of its longitudinal extension a degree of freedom in a vertical direction extending perpendicular to the longitudinal direction. At least one of the two end walls, as fixed end wall, is connected fixedly to the hood and detachably to the base plate. The end wall, connected fixedly to the hood, is sealed off by a seal in relation to the base plate. The seal is provided along a lower boundary bounding the fixed end wall in relation to the base plate.

IPC 1-7  
**B65D 88/12**

IPC 8 full level  
**B65D 88/12** (2006.01)

CPC (source: EP US)  
**B65D 88/126** (2013.01 - EP US)

Citation (search report)  
• [X] DE 3539176 A1 19870507 - MEYER HELMUT DIPL ING, et al  
• [X] DE 3300354 A1 19840712 - DEUTSCHE BUNDESBahn [DE]  
• [A] US 4151925 A 19790501 - GLASSMEYER JOHN J [US]

Cited by  
EP2441702A1; WO2012049191A1

Designated contracting state (EPC)  
AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0319665 A2 19890614; EP 0319665 A3 19900926; EP 0319665 B1 19931229**; DE 3886713 D1 19940210; US 4942971 A 19900724

DOCDB simple family (application)  
**EP 88116604 A 19881007**; DE 3886713 T 19881007; US 18880688 A 19880502