

Title (en)
SUSPENSION FOR VEHICLES

Publication
EP 0320400 B1 19920812 (FR)

Application
EP 88403133 A 19881209

Priority
FR 8717284 A 19871211

Abstract (en)
[origin: WO8905241A1] Suspension comprising an elastic blade (1) made of composite material with unidirectional fibers, of which the end portions (6, 7) of constant shape cross-section are nested into cavities (8) with matching cross-section, extending in the major portion of the length of the arm (2, 3). The transmission of efforts between the blade (1) and the arms (2, 3) is thus limited to three embedding moments of which the components are forces perpendicular to the unidirectional fibers of the blade (1).

IPC 1-7
B60G 11/08

IPC 8 full level
B60G 11/08 (2006.01); **B60G 11/12** (2006.01); **B60G 17/02** (2006.01); **F16F 1/22** (2006.01); **F16F 1/368** (2006.01)

CPC (source: EP KR)
B60G 11/08 (2013.01 - EP KR); **B60G 11/125** (2013.01 - EP); **B60G 17/023** (2013.01 - EP); **F16F 1/22** (2013.01 - EP); **F16F 1/3686** (2013.01 - EP); **B60G 2202/11** (2013.01 - EP); **B60G 2204/12** (2013.01 - EP); **B60G 2500/22** (2013.01 - EP)

Cited by
CN102416836A; CN103748380A

Designated contracting state (EPC)
AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)
WO 8905241 A1 19890615; AT E79334 T1 19920815; AU 2794989 A 19890705; DE 3873705 D1 19920917; DE 3873705 T2 19930318; EP 0320400 A1 19890614; EP 0320400 B1 19920812; ES 2034340 T3 19930401; FR 2624446 A1 19890616; FR 2624446 B1 19900525; KR 900700311 A 19900813

DOCDB simple family (application)
FR 8800602 W 19881209; AT 88403133 T 19881209; AU 2794989 A 19891209; DE 3873705 T 19881209; EP 88403133 A 19881209; ES 88403133 T 19881209; FR 8717284 A 19871211; KR 890701502 A 19890809