

Title (en)  
METHOD AND DEVICE FOR INK MONITORING IN A PRINTING MACHINE

Publication  
**EP 0324718 B1 19920708 (DE)**

Application  
**EP 89810006 A 19890105**

Priority  
• CH 12088 A 19880114  
• CH 126888 A 19880406

Abstract (en)  
[origin: EP0324718A1] During sheet printing, a three-colour offset printing machine produces colour measurement bars with a plurality colour measurement fields. A grey screen field (52) produced by the superimposition of three colours serves as the reference field, the colour location of which is compared in a colour separation computer (68) with the colour location of an associated nominal reference field (51). From the colour separation, a layer thickness modification computer (71) calculates a layer thickness modification control vector with the aid of a sensitivity matrix (74) calculated by a matrix computer (73) on the basis of a linear model. In addition, the matrix computer (73) evaluates a series of adjacent fields which comprise three single- colour screen fields, three single-colour full tone fields, three two- colour full tone fields and one three-colour full tone field. <IMAGE>

IPC 1-7  
**B41F 33/00**

IPC 8 full level  
**B41F 31/02** (2006.01); **B41F 33/00** (2006.01); **B41F 33/14** (2006.01); **B41M 1/14** (2006.01)

CPC (source: EP US)  
**B41F 33/0036** (2013.01 - EP US)

Cited by  
WO2009144120A1; EP0598490A1; US5724437A; DE3812099A1; US5202959A; EP0649743A1; DE102004044763B4; EP1273445A3; FR2784052A1; DE4311132A1; DE19722073A1; DE19722073C2; EP2618119A3; EP0741031A3; US5696890A; DE4104537A1; DE4104537C2; DE3913382A1; EP3017947A1; DE10335145A1; EP0600335A1; DE4240077A1; US5460090A; EP1273445A2; WO9500335A1; WO2007048533A3; WO9112500A1; US6450097B1; EP0394681B1; EP3017947B1

Designated contracting state (EPC)  
CH DE ES FR GB IT LI SE

DOCDB simple family (publication)  
**EP 0324718 A1 19890719; EP 0324718 B1 19920708**; CA 1326707 C 19940201; CN 1008989 B 19900801; CN 1034166 A 19890726; DE 58901780 D1 19920813; ES 2033128 T3 19930301; JP 2782217 B2 19980730; JP H01225554 A 19890908; US 4975862 A 19901204

DOCDB simple family (application)  
**EP 89810006 A 19890105**; CA 588035 A 19890112; CN 89100150 A 19890114; DE 58901780 T 19890105; ES 89810006 T 19890105; JP 759589 A 19890114; US 29352889 A 19890105