

Title (en)

METHOD OF POLISHING LACQUERED SURFACES

Publication

**EP 0328963 A3 19900131 (DE)**

Application

**EP 89101876 A 19890203**

Priority

DE 3804588 A 19880213

Abstract (en)

[origin: EP0328963A2] A novel process for polishing highly resilient coating surfaces, in which the surface to be polished is kept at a temperature of less than +5 DEG C by means of a cold gas during the polishing process.

IPC 1-7

**B05D 3/12**

IPC 8 full level

**B05D 3/04** (2006.01); **B05D 3/12** (2006.01); **B05D 5/06** (2006.01); **B24B 1/00** (2006.01)

CPC (source: EP)

**B05D 3/04** (2013.01); **B05D 3/12** (2013.01); **B24B 1/00** (2013.01)

Citation (search report)

- [XP] DE 3819973 C1 19881229
- [A] DE 3436132 A1 19850411 - AIR PROD & CHEM [US]
- [A] EP 0250915 A1 19880107 - MESSER GRIESHEIM GMBH [DE]
- [A] US 3934379 A 19760127 - BRATON NORMAN R, et al
- [AD] DE 2653487 A1 19780601 - SIEKMANN EWALD
- [AD] DE 2145714 A1 19720323

Cited by

EP1364996A1; EP0332956A3; EP0346754A3; US6520846B1

Designated contracting state (EPC)

BE DE ES FR GB IT NL SE

DOCDB simple family (publication)

**DE 3804588 A1 19890511**; DE 58902528 D1 19921203; EP 0328963 A2 19890823; EP 0328963 A3 19900131; EP 0328963 B1 19921028; EP 0328963 B2 19950222; ES 2035963 T3 19930501; ES 2035963 T5 19950816; JP H0231865 A 19900201; JP H0655292 B2 19940727

DOCDB simple family (application)

**DE 3804588 A 19880213**; DE 58902528 T 19890203; EP 89101876 A 19890203; ES 89101876 T 19890203; JP 3127189 A 19890213