

Title (en)  
**WARNING RADIO RECEIVER**

Publication  
**EP 0328985 A3 19910123 (DE)**

Application  
**EP 89102014 A 19890206**

Priority  
DE 3805191 A 19880219

Abstract (en)  
[origin: EP0328985A2] A warning radio receiver is described whose power requirement is covered in the event of mains power failure by a battery and whose power consumption is reduced by a de-activation of the output stage synchronous with the power failure. <IMAGE>

IPC 1-7  
**G08B 27/00**; **H04B 1/16**

IPC 8 full level  
**H04B 1/16** (2006.01); **G08B 27/00** (2006.01); **G08B 29/00** (2006.01); **G08B 29/18** (2006.01)

CPC (source: EP US)  
**G08B 27/008** (2013.01 - EP US); **G08B 29/00** (2013.01 - EP US); **G08B 29/181** (2013.01 - EP US)

Citation (search report)

- [A] PATENT ABSTRACTS OF JAPAN, Band 2, Nr. 153 (E-78)[9845], Januar 1979, Seite 9845 E 78; & JP-A-53 121 509 (TOKYO SHIBAURA DENKI) 24-10-1978
- [A] PATENT ABSTRACTS OF JAPAN, Band 6, Nr. 12 (E-91)[890], 23. Januar 1982, Seite 890 E 91; & JP-A-56 134 842 (MATSUSHITA DENKI SANGYO K.K.) 21-10-1981

Cited by  
EP0726554A1; EP1011084A3

Designated contracting state (EPC)  
AT CH DE ES FR GB IT LI SE

DOCDB simple family (publication)  
**EP 0328985 A2 19890823**; **EP 0328985 A3 19910123**; **EP 0328985 B1 19931201**; AT E98069 T1 19931215; DE 3805191 A1 19890831; DE 58906268 D1 19940113; DE 8816300 U1 19890420; ES 2046340 T3 19940201; JP 2865691 B2 19990308; JP H01248832 A 19891004; US 5060300 A 19911022

DOCDB simple family (application)  
**EP 89102014 A 19890206**; AT 89102014 T 19890206; DE 3805191 A 19880219; DE 58906268 T 19890206; DE 8816300 U 19880219; ES 89102014 T 19890206; JP 3644389 A 19890217; US 62238590 A 19901130