

Title (en)

Method for controlling a hydrostatic machine, particularly an axial piston machine.

Title (de)

Verfahren zum Steuern einer hydrostatischen Maschine, insbesondere einer Axialkolbenmaschine.

Title (fr)

Procédé pour commander une machine hydrostatique, en particulier une machine à pistons axiaux.

Publication

**EP 0336918 A1 19891011 (DE)**

Application

**EP 89890030 A 19890131**

Priority

AT 91788 A 19880408

Abstract (en)

In a method used for controlling a hydrostatic machine (1, 3) which is connected to a pressure-supply network (6) with an impressed pressure and has an adjustable displacement or capacity, the speed of the machine is controlled by adjusting the capacity. Before the occurrence of a load torque, the capacity of the hydraulic motor (1) can be set to a predetermined value by means of two throttle valves (10, 11) arranged in the inlet and outlet (4, 7), respectively, of the motor (1) and adjustable in common. When the load torque occurs, the two throttle valves (10, 11) are opened in such a way that a corresponding pressure difference arises at the motor (1) and it can take on the load torque without significant alteration of the capacity. <IMAGE>

Abstract (de)

Ein Verfahren zum Steuern einer hydrostatischen Maschine (1, 3), die an ein Drucknetz (6) mit eingepprägtem Druck angeschlossen ist und verstellbares Hub- bzw. Schluckvolumen aufweist, wird in ihrer Drehzahl durch die Verstellung des Schluckvolumens geregelt. Das Schluckvolumen des Hydraulikmotors (1) ist vor dem Auftreten eines Lastmomentes mittels zweier gemeinsam verstellbarer, im Zu- bzw. Ablauf (4, 7) des Motors (1) angeordneter Drosselventile (10, 11) auf einen vorbestimmten Wert einstellbar und die beiden Drosselventile (10, 11) werden beim Auftreten des Lastmomentes derart geöffnert, daß eine entsprechende Druckdifferenz am Motor (1) entsteht und er ohne wesentliche Änderung des Schluckvolumens das Lastdrehmoment übernehmen kann.

IPC 1-7

**F03C 1/00**

IPC 8 full level

**F03C 1/00** (2006.01)

CPC (source: EP)

**F03C 1/003** (2013.01)

Citation (search report)

- [A] DE 3107991 A1 19820923 - KAMAG TRANSPORTTECH GMBH [DE]
- [AD] AT 383059 B 19870511 - VOEST ALPINE AG [AT]
- [AD] DE 2263924 A1 19730712 - HISHIKAWA NOBUTADA
- [A] FR 2444513 A1 19800718 - GFM FERTIGUNGSTECHNIK [AT]

Cited by

CN113738504A

Designated contracting state (EPC)

DE FR GB IT SE

DOCDB simple family (publication)

**EP 0336918 A1 19891011**

DOCDB simple family (application)

**EP 89890030 A 19890131**