

Title (en)

COVERING PROFILE STRIP FOR PERMANENT GLAZING OR FILLING ELEMENTS ON BUILDING EXTERIORS

Publication

**EP 0341269 B1 19920212 (DE)**

Application

**EP 88907225 A 19880908**

Priority

CH 442087 A 19871112

Abstract (en)

[origin: WO8904408A1] A covering profile strip (1) has a foot (9) with teeth (10) which can be placed for anchorage purposes on a spacing element (2) connected to a building structure (4). The foot (a) has a slot (11) which begins on the outer face (12) of the two sealing lips (6) projecting from the foot (9), where it first forms a trough-shaped enlargement (13) which receives a filling profile strip (17) connected only by very thin ridges (18) to the sealing lips (6). The slot (11) is prolonged thereafter in a constriction (14) with a funnel-shaped opening (141) and terminates in a broader groove (15). The constriction (14) is formed by two facing ribs with an undercut lower face (25) which serves as a bearing for the head of an exchange filling profile strip which can be inserted in the slot. Before insertion, the filling profile strip (17) already present is removed by detaching its thin ridges (18). Dislodgement of the head of exchange profile strip and hence the latter is prevented by said lower face (25). Because of the possibility of replacing the filling profile strip (17) by another of different execution, dimensions and appearance, the covering profile strip can be used in a variety of applications without modification to its basic design.

IPC 1-7

**E04B 1/68; E04D 3/06; E06B 3/68**

IPC 8 full level

**E06B 3/58** (2006.01); **E04B 1/68** (2006.01); **E04B 1/684** (2006.01); **E04D 3/06** (2006.01); **E04F 19/06** (2006.01); **E06B 3/68** (2006.01); **E04D 3/08** (2006.01)

CPC (source: EP US)

**E04B 1/6803** (2013.01 - EP US); **E04D 3/06** (2013.01 - EP US); **E06B 3/68** (2013.01 - EP US); **E04D 2003/0818** (2013.01 - EP US); **E04D 2003/0831** (2013.01 - EP US); **E04D 2003/0837** (2013.01 - EP US); **E04D 2003/085** (2013.01 - EP US)

Cited by

WO2021155885A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)

**WO 8904408 A1 19890518**; AT E72593 T1 19920215; BR 8807289 A 19900213; CH 676275 A5 19901228; DE 3868401 D1 19920326; EP 0341269 A1 19891115; EP 0341269 B1 19920212; JP H02500203 A 19900125; JP H0583691 B2 19931129; US 5155952 A 19921020

DOCDB simple family (application)

**CH 8800155 W 19880908**; AT 88907225 T 19880908; BR 8807289 A 19880908; CH 442087 A 19871112; DE 3868401 T 19880908; EP 88907225 A 19880908; JP 50690588 A 19880908; US 39298289 A 19890719