

Title (en)

Device for detecting the condition of rail switches or crossings.

Title (de)

Einrichtung zum Erfassen des Zustandes von Schienenweichen oder Kreuzungen.

Title (fr)

Dispositif de détection de l'état des aiguilles ou des croisements des voies ferrées.

Publication

EP 0344145 B1 19940330 (DE)

Application

EP 89890151 A 19890519

Priority

- AT 139588 A 19880527
- AT 270888 A 19881103

Abstract (en)

[origin: EP0344145A1] The device according to the invention for detecting the condition of rail switches or crossings with sensors for monitoring the end position of the tongue rails (2), has in the region of the theoretical point of crossing (17) of a common crossing (8) a sensor (18) which in the event of a mechanical collision with the wheel flange or wheel contact surface emits a signal which enables a decision to be made with respect to premature wear in the region of the common crossing. <IMAGE>

IPC 1-7

B61L 1/04; **B61K 9/08**

IPC 8 full level

E01B 35/00 (2006.01); **B61K 9/08** (2006.01); **B61L 1/06** (2006.01); **B61L 5/10** (2006.01); **B61L 23/04** (2006.01); **G01N 3/56** (2006.01)

CPC (source: EP US)

B61L 1/06 (2013.01 - EP US); **B61L 23/045** (2013.01 - EP US)

Cited by

FR2745543A1; AT407982B; DE102004014282C5; DE102008008578B3; AT399696B; EP0575308A1; US5374016A; AT399483B; CN103129584A; SE2000101A1; SE545220C2; US7575201B2; LT3021B; US9284692B2; WO2007021537A1; WO2006120258A1; JP2009504501A

Designated contracting state (EPC)

AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0344145 A1 19891129; **EP 0344145 B1 19940330**; AT 399401 B 19950526; AT A270888 A 19940915; AT E103546 T1 19940415; AU 3516789 A 19891130; AU 608981 B2 19910418; CA 1330120 C 19940607; DE 58907323 D1 19940505; ES 2052970 T3 19940716; FI 892591 A0 19890526; FI 892591 A 19891128; FI 90847 B 19931231; FI 90847 C 19940411; JP H0224263 A 19900126; JP H0818556 B2 19960228; LV 10518 A 19950220; LV 10518 B 19950620; MD 311 B1 19951031; MD 311 C2 19960229; NO 174090 B 19931206; NO 174090 C 19940316; NO 892144 D0 19890526; NO 892144 L 19891128; RU 2013262 C1 19940530; UA 25968 A1 19990226; US 4986498 A 19910122

DOCDB simple family (application)

EP 89890151 A 19890519; AT 270888 A 19881103; AT 89890151 T 19890519; AU 3516789 A 19890525; CA 600845 A 19890526; DE 58907323 T 19890519; ES 89890151 T 19890519; FI 892591 A 19890526; JP 13449289 A 19890526; LV 920626 A 19921230; MD 940368 A 19940912; NO 892144 A 19890526; SU 4614152 A 19890526; UA 4614152 A 19890526; US 35630389 A 19890524