

Title (en)

CABLE TERMINAL AND METHOD FOR ITS MANUFACTURE

Publication

EP 0348269 B1 19930421 (FR)

Application

EP 89401632 A 19890612

Priority

FR 8808293 A 19880621

Abstract (en)

[origin: EP0348269A1] The invention relates to a cable terminal of the kind comprising a metal part (11) and an insulating part (15). <??>According to the invention, the internal end (25) of the metal part (11), initially straight, is overall formed into a tulip shape, the exterior edge (26) of its face (27) forms an anchoring edge through which it engages with the insulating part (15), and it extends opposite a transverse shoulder (21) of this insulating part (15), the interior diameter (D1) of which is less than that (D2) of the circumference along which extends the interior edge (28) of its said face (27). <??>Application to the cabling of electrical conductors, and in particular those with stranded core. <IMAGE>

IPC 1-7

H01R 4/20

IPC 8 full level

H01R 11/28 (2006.01); **H01R 4/20** (2006.01)

CPC (source: EP KR US)

H01R 4/20 (2013.01 - EP KR US); **H01R 11/28** (2013.01 - KR)

Cited by

GB2272804A; US5364285A; GB2272804B

Designated contracting state (EPC)

BE DE ES FR GB IT NL

DOCDB simple family (publication)

EP 0348269 A1 19891227; EP 0348269 B1 19930421; DE 68906088 D1 19930527; DE 68906088 T2 19930729; ES 2039892 T3 19931001; FR 2633103 A1 19891222; FR 2633103 B1 19911025; HK 97093 A 19930924; JP H0251880 A 19900221; KR 0155360 B1 19981116; KR 900001061 A 19900131; US 5017161 A 19910521

DOCDB simple family (application)

EP 89401632 A 19890612; DE 68906088 T 19890612; ES 89401632 T 19890612; FR 8808293 A 19880621; HK 97093 A 19930916; JP 15938889 A 19890621; KR 890008527 A 19890621; US 36804589 A 19890619