

Title (en)  
Hinge.

Title (de)  
Scharnier.

Title (fr)  
Charnière.

Publication  
**EP 0349005 B1 19940119 (DE)**

Application  
**EP 89111984 A 19890630**

Priority  
DE 3822325 A 19880701

Abstract (en)  
[origin: EP0349005A1] A hinge consists of a housing connection part (1), of a cover connection part (3) which is mounted rotatably thereon about a bearing bolt (2) and in which a stop bolt (4) is arranged at a distance from the bearing bolt (2), of a spring guide (6) which at one end is mounted pivotably on the end of the housing connection part (1) located opposite the cover connection part (3) and which at its other end is mounted rotatably on the stop bolt (4) of the cover connection part (3), of a compression spring (11) surrounding the spring guide (6), of a braking device and of a rocker (7) having an inner guide, on which the spring guide (6) is guided so as to be longitudinally displaceable. The rocker (7) is supported pivotably on the end of the housing connection part (1) located opposite the cover connection part (3). The compression spring (11) is arranged between the rocker (7) and a stop (part 10) on the spring guide (6). So that the necessary braking effect can be obtained for the particular cover opening angle, the spring guide (6) has a radially elastic braking region (16), the outer cross-section of which is larger than the inner cross-section of the rocker (7), so that the sliding movement of the spring guide (6) in the rocker (7) is braked. <IMAGE>

IPC 1-7  
**E05F 1/12**

IPC 8 full level  
**E05F 1/12** (2006.01)

CPC (source: EP)  
**E05F 1/1261** (2013.01); **E05Y 2900/20** (2013.01)

Cited by  
GB2267536A; GB2267536B; KR101871820B1

Designated contracting state (EPC)  
DE FR GB IT

DOCDB simple family (publication)  
**EP 0349005 A1 19900103; EP 0349005 B1 19940119; DE 3822325 C1 19900125; DE 58906738 D1 19940303**

DOCDB simple family (application)  
**EP 89111984 A 19890630; DE 3822325 A 19880701; DE 58906738 T 19890630**