

Title (en)

ONCE-THROUGH FORCED-FLOW STEAM GENERATOR

Publication

EP 0349767 B1 19930512 (DE)

Application

EP 89109988 A 19890602

Priority

DE 3822804 A 19880706

Abstract (en)

[origin: JPH0252903A] PURPOSE: To make a medium flowing through a pipe uniform by a structure wherein a combustion chamber is defined by pipes arranged obliquely, a hopper is formed piping walls arranged vertically with pipes and the pipes in the combustion chamber are separated from the pipes in a cone by headers. CONSTITUTION: A combustion chamber has front and rear walls 5, 7 from which pipes extend obliquely upward and side walls 6, 8 on which pipes are arranged horizontally. A hopper 2 has inclining front and rear walls 9, 11 and vertically slanting side walls 10, 12. Pipes of the hopper 2 are arranged in the vertical direction. Hopper pipes on the front and rear walls 9, 11 extend from an inlet header 16 and make transition to obliquely extending pipes on the front and rear walls 5, 7 of combustion chamber through a coupling. The obliquely extending pipes on the front and rear walls 5, 7 are continuous to pipes extending horizontally on the side walls 6, 8 of the combustion chamber.

IPC 1-7

F22B 29/06; F22B 37/14

IPC 8 full level

F22B 35/10 (2006.01); **F22B 29/06** (2006.01); **F22B 37/14** (2006.01)

CPC (source: EP US)

F22B 37/146 (2013.01 - EP US)

Designated contracting state (EPC)

AT BE CH DE ES FR GB GR IT LI NL SE

DOCDB simple family (publication)

EP 0349767 A1 19900110; EP 0349767 B1 19930512; AT E89387 T1 19930515; DE 3822804 A1 19900111; DE 58904318 D1 19930617; DK 328489 A 19900107; DK 328489 D0 19890703; ES 2040407 T3 19931016; JP 3030560 B2 20000410; JP H0252903 A 19900222; US 4953509 A 19900904

DOCDB simple family (application)

EP 89109988 A 19890602; AT 89109988 T 19890602; DE 3822804 A 19880706; DE 58904318 T 19890602; DK 328489 A 19890703; ES 89109988 T 19890602; JP 15939489 A 19890621; US 37399289 A 19890629