

Title (en)
FUEL INJECTORS FOR TURBINE ENGINES

Publication
EP 0350503 B1 19920610 (EN)

Application
EP 89901011 A 19881209

Priority
US 13349187 A 19871214

Abstract (en)
[origin: WO8905903A1] A fuel injector (46) for a turbine engine includes an elongated, generally cylindrical metal housing (76) having a cylindrical surface (78) terminating in an end (84) having a frustoconical surface (86). A bore (88) having an axis (89) normal to the frustoconical surface (86) extends through the housing (76) to provide an air inlet (90) in the cylindrical surface (78) and a fuel and air outlet (94) in the frustoconical surface (86). The bore (88) is narrowed at the outlet to provide a constriction thereat. A curved tube (96) of substantially lesser diameter than the bore (88) is located within the bore (88) to serve as a fuel injecting tube and has an open end (100) on and normal to the axis (89) and located in close adjacency to the constriction without increasing the resistance to air flow through the constriction.

IPC 1-7
F02C 7/08

IPC 8 full level
F02C 3/05 (2006.01); **F02C 7/08** (2006.01); **F02C 7/232** (2006.01); **F23R 3/28** (2006.01)

CPC (source: EP US)
F23R 3/283 (2013.01 - EP US)

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
WO 8905903 A1 19890629; DE 3871951 D1 19920716; DE 3871951 T2 19921224; EP 0350503 A1 19900117; EP 0350503 A4 19900514; EP 0350503 B1 19920610; JP H02502472 A 19900809; US 4955201 A 19900911

DOCDB simple family (application)
US 8804423 W 19881209; DE 3871951 T 19881209; EP 89901011 A 19881209; JP 50089789 A 19881209; US 13349187 A 19871214