

Title (en)
MARINE ANCHOR HAVING TRIPPING MEANS

Publication
EP 0352395 B1 19911127 (FR)

Application
EP 88460015 A 19880726

Priority
FR 8709105 A 19870625

Abstract (en)
[origin: EP0352395A1] The marine anchor comprises two symmetrical blades (5") each provided with a pair of symmetrical wings (6"). Between the blades, a shank (1") can pivot about a transverse shaft (4") joining the two blades so as to form, relative to the shaft (4"), a front arm (1"A) and a rear arm (1"B). The free end of the rear arm carries transverse spurs (13"). An oblong slot (3") is provided in the shank, in its longitudinal axis, for the passage of the shaft (4") joining the blades. The spurs abut the wings (6") of the blades when the shaft is in the rear part of the slot. The spurs are released from the wings when the shaft is in the front part of the slot. The slot has the general shape of an isosceles trapezium, the axis of symmetry of which coincides with the longitudinal axis of the shank, the large base being situated towards the front. Elastic or breakable stops (15") are provided in order, under normal conditions, to limit the movements of the spurs when they are released from the wings. <IMAGE>

IPC 1-7
B63B 21/22

IPC 8 full level
B63B 21/22 (2006.01); **B63B 21/44** (2006.01)

CPC (source: EP)
B63B 21/22 (2013.01); **B63B 21/44** (2013.01)

Citation (examination)
FR 1080883 A 19541214 - CLAUDE BONNET & FILS

Designated contracting state (EPC)
BE CH DE ES FR GB GR IT LI NL SE

DOCDB simple family (publication)
FR 2617114 A1 19881230; DE 3866546 D1 19920109; EP 0352395 A1 19900131; EP 0352395 B1 19911127; ES 2028352 T3 19920701

DOCDB simple family (application)
FR 8709105 A 19870625; DE 3866546 T 19880726; EP 88460015 A 19880726; ES 88460015 T 19880726