

Title (en)
A WALL COUPLING

Publication
EP 0352880 B1 19930127 (EN)

Application
EP 89303839 A 19890418

Priority
GB 8818115 A 19880729

Abstract (en)
[origin: EP0352880A2] A wall coupling restrains adjacent walls 2 and 3 from displacement over each other. The two walls have co-incident apertures 12 and 16. A flexible moulded plastics retaining strip 5 is carried by the wall 2 on its side remote from the wall 3. The strip 5 overlies the aperture 12 and has an end 8 which is secured relative to the wall 2 and an end 7 which is slidable along tracks on the wall 2 in a direction towards and from the end 8. A mid-length region 6 of the strip 5 between its ends 7 and 8 has integral hinges 13 to 15 so that during displacement of the strip end 7 towards the end 8, the region 6 doubles to project through the apertures 12 and 16 and thereby couple the walls 2 and 3 to restrain them from relative displacement. Stop/catch means can be provided to temporarily retain the strip end 7 in a position where the mid-length region 6 of the strip is in either a folded or an unfolded condition. The invention is suitable for coupling a container lid which carries the retaining strip 5 to a wall of a container body.

IPC 1-7
B65D 43/22; **B65D 55/16**; **E05B 65/08**; **F16B 3/00**

IPC 8 full level
B65D 43/22 (2006.01); **B65D 55/16** (2006.01); **E05B 65/08** (2006.01); **F16B 3/00** (2006.01)

CPC (source: EP)
B65D 43/22 (2013.01)

Cited by
KR100855085B1

Designated contracting state (EPC)
AT BE CH DE FR IT LI NL

DOCDB simple family (publication)
EP 0352880 A2 19900131; **EP 0352880 A3 19900718**; **EP 0352880 B1 19930127**; AT E85017 T1 19930215; DE 68904615 D1 19930311; DE 68904615 T2 19930603; GB 2221243 A 19900131; GB 2221243 B 19920527; GB 8818115 D0 19880901

DOCDB simple family (application)
EP 89303839 A 19890418; AT 89303839 T 19890418; DE 68904615 T 19890418; GB 8818115 A 19880729