

Title (en)

DEVICE FOR ADJUSTING GAUGES

Publication

EP 0357970 B1 19920304 (DE)

Application

EP 89114440 A 19890804

Priority

DE 3830081 A 19880903

Abstract (en)

[origin: EP0357970A1] Particularly in fast-running printing presses, torsional oscillations and flectural oscillations of substantial amplitude undergone by the front lay shaft (2) supporting the front lays (1) may result in alignment errors and damage to the front edge of the sheet. The invention counters this with an additional support bearing (16) for the front lay shaft (2), which follows changes in position undergone by the adjustably arranged front lay shaft (2), and which an engagement point, in the immediate vicinity of the additional support bearing (16) for a pivot device (12-14) for the reciprocal pivoting (15) of the front lay shaft (2) about its longitudinal axis. <IMAGE>

IPC 1-7

B41F 21/12; B65H 9/06

IPC 8 full level

B41F 21/12 (2006.01); **B65H 9/04** (2006.01); **B65H 9/06** (2006.01)

CPC (source: EP US)

B41F 21/12 (2013.01 - EP US); **B65H 9/06** (2013.01 - EP US)

Designated contracting state (EPC)

DE FR GB IT SE

DOCDB simple family (publication)

EP 0357970 A1 19900314; EP 0357970 B1 19920304; CA 1324162 C 19931109; CN 1013262 B 19910724; CN 1040951 A 19900404; DE 3830081 A1 19900315; DE 3830081 C2 19910801; DE 58900912 D1 19920409; JP H02106537 A 19900418; JP H0585461 B2 19931207; US 5029844 A 19910709

DOCDB simple family (application)

EP 89114440 A 19890804; CA 606268 A 19890720; CN 89106126 A 19890801; DE 3830081 A 19880903; DE 58900912 T 19890804; JP 22640389 A 19890902; US 40286889 A 19890905