

Title (en)  
CURVED COAXIAL CONNECTOR

Publication  
**EP 0358814 B1 19930825 (DE)**

Application  
**EP 88116827 A 19881011**

Priority  
DE 3830818 A 19880910

Abstract (en)  
[origin: EP0358814A1] The underlying object of the invention is to develop a known curved coaxial connector in such a way that, together with the associated aerial cable, it has a capacity value below 60 ... 100 pF. The object is achieved in that the curved coaxial connector (10) contains a printed circuit board (30) which bears a cable clip (14) for the aerial cable (17) insulated off at the end, a capacitor (22) and a coaxial bush (26) as well as strip conductors (35) and surface conductors (37), which produce the required electrical connections. The curved coaxial connector constructed in this manner is extrusion-coated with plastic (11). The drawing shows a sectional view of the curved coaxial connector and a view of the printed circuit board from below. <IMAGE> <IMAGE>

IPC 1-7  
**H01R 9/05**; **H01R 17/12**

IPC 8 full level  
**H01R 9/05** (2006.01); **H01R 13/646** (2011.01)

CPC (source: EP)  
**H01R 24/42** (2013.01); **H01R 9/0518** (2013.01); **H01R 2103/00** (2013.01)

Cited by  
CN111048889A; EP0932522B1

Designated contracting state (EPC)  
AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0358814 A1 19900321**; **EP 0358814 B1 19930825**; AT E93661 T1 19930915; DE 3883533 D1 19930930

DOCDB simple family (application)  
**EP 88116827 A 19881011**; AT 88116827 T 19881011; DE 3883533 T 19881011