

Title (en)

RAILWAY CARRIAGE AND ASSEMBLY METHOD THEREFOR

Publication

EP 0360585 A3 19900919 (EN)

Application

EP 89309563 A 19890920

Priority

FI 884317 A 19880921

Abstract (en)

[origin: EP0360585A2] A railway carriage is assembled by forming a selfsupporting shell (1, 3, 4) and inserting prefabricated units (15) into the shell via an opening (5) left for that purpose. Following insertion and correct positioning of all units required, the opening (5) is closed with a final part (2) of the shell. Services (17, 18) are provided in the shell for subsequent connection to the units (15).

IPC 1-7

B61D 17/04; **B61D 1/02**; **B61D 1/04**

IPC 8 full level

B61D 1/02 (2006.01); **B61D 1/04** (2006.01); **B61D 17/04** (2006.01); **B61D 35/00** (2006.01); **B62D 31/02** (2006.01)

CPC (source: EP)

B61D 1/02 (2013.01); **B61D 1/04** (2013.01); **B61D 17/045** (2013.01); **B61D 35/005** (2013.01)

Citation (search report)

- [X] GB 798228 A 19580716 - ATEL CONST NORD DE LA FRANCE
- [YP] US 4825774 A 19890502 - TANI HISASHI [JP], et al
- [X] FR 1129713 A 19570124 - ATEL CONST NORD DE LA FRANCE

Cited by

DE102007007624A1; EP2705997A1; EP0489294A1; US5233808A; DE19537498C2; EP0472176A1; EP2562061A1; FR2979317A1; DE102007007624B4; EP2189352A1; GB2465443B; EP0846606A1; US11731667B2

Designated contracting state (EPC)

DE FR GB IT SE

DOCDB simple family (publication)

EP 0360585 A2 19900328; **EP 0360585 A3 19900919**; **EP 0360585 B1 19950215**; DE 68921127 D1 19950323; DE 68921127 T2 19951012; FI 82422 B 19901130; FI 82422 C 19910311; FI 884317 A0 19880921; FI 884317 A 19900322

DOCDB simple family (application)

EP 89309563 A 19890920; DE 68921127 T 19890920; FI 884317 A 19880921