

Title (en)  
Improved abradable coating and its production.

Title (de)  
Verschleissfeste Beschichtung und Verfahren zu ihrer Herstellung.

Title (fr)  
Revêtement résistant et procédé pour sa fabrication.

Publication  
**EP 0361709 A1 19900404 (EN)**

Application  
**EP 89309077 A 19890907**

Priority  
• US 24702488 A 19880920  
• US 32677589 A 19890321

Abstract (en)  
A method for making a material which comprises feeding a filler into a stream of high-temperature combustion gases to entrain the filler in the combustion gases; atomizing a molten metal with the stream of high-temperature combustion gases having the entrained filler such that the atomized molten metal is entrained in the stream along with the powdered filler; directing the stream of high-temperature combustion gases having the entrained filler and the entrained atomized molten metal toward a target; the filler and the atomized metal entrained in the stream of high-temperature combustion gases forming a deposit on the target, the deposit comprising a material having a metal matrix in which the filler is embedded.

IPC 1-7  
**B05B 7/20; B05B 7/22; C23C 4/12**

IPC 8 full level  
**C10M 111/04** (2006.01); **B05B 7/20** (2006.01); **B05B 7/22** (2006.01); **C09K 3/00** (2006.01); **C10M 177/00** (2006.01); **C23C 4/04** (2006.01); **C23C 4/12** (2006.01); **C10N 20/06** (2006.01); **C10N 40/02** (2006.01); **C10N 40/12** (2006.01); **C10N 40/32** (2006.01); **C10N 50/08** (2006.01)

CPC (source: EP KR)  
**B05B 7/203** (2013.01 - EP); **B05B 7/205** (2013.01 - EP); **B05B 7/224** (2013.01 - EP); **B05B 7/226** (2013.01 - EP); **C23C 4/04** (2013.01 - KR); **C23C 4/129** (2016.01 - EP)

Citation (search report)  
• [X] FR 516567 A 19210422 - METALLISATION SOC D [FR]  
• [A] WO 8301751 A1 19830526 - UNITED TECHNOLOGIES CORP [US]  
• [A] EP 0232919 A2 19870819 - TSUNEKAWA YOSHIYUKI [JP], et al  
• [A] EP 0282310 A2 19880914 - BROWNING JAMES A  
• [A] EP 0118249 A2 19840912 - TATEHO KAGAKU KOGYO KK [JP]  
• [A] US 3723165 A 19730327 - LONGO F, et al  
• [A] FR 1434948 A 19660415 - SFEC  
• [X] PATENT ABSTRACTS OF JAPAN, vol. 12, no. 372 (C-533)[3219], 5th October 1988; & JP-A-63 121 648 (TOYOTA MOTOR CORP.) 25-05-1988  
• [A] PATENT ABSTRACTS OF JAPAN, vol. 12, no. 391 (C-537)[3238], 18th October 1988; & JP-A-63 137 154 (TOYOTA MOTOR CORP.) 09-06-1988  
• [A] PATENT ABSTRACTS OF JAPAN, vol. 11, no. 232 (C-437)[2679], 29th July 1987; & JP-A-62 47 441 (TOSHIBA CORP.) 02-03-1987

Cited by  
CN113737120A; CN105485708A; US5148986A; EP2974866A1; DE4219992A1; DE4236911C1; US7165946B2; WO2014137463A1; WO2006098667A1; US9456502B2; US9528008B2; EP0491521B1

Designated contracting state (EPC)  
AT BE CH DE ES FR GB IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0361709 A1 19900404; EP 0361709 B1 19931020**; AU 4133689 A 19900329; BR 8904694 A 19900501; CN 1042951 A 19900613; DE 68910072 D1 19931125; DE 68910072 T2 19940324; DK 462089 A 19900321; DK 462089 D0 19890919; ES 2045458 T3 19940116; FI 894380 A0 19890918; FI 894380 A 19900321; JP H02225598 A 19900907; KR 910006512 A 19910429; KR 950014071 B1 19951121; NO 893748 D0 19890920; NO 893748 L 19900321; PT 91754 A 19900330; PT 91754 B 19950718

DOCDB simple family (application)  
**EP 89309077 A 19890907**; AU 4133689 A 19890913; BR 8904694 A 19890919; CN 89107176 A 19890919; DE 68910072 T 19890907; DK 462089 A 19890919; ES 89309077 T 19890907; FI 894380 A 19890918; JP 24236789 A 19890920; KR 890013460 A 19890919; NO 893748 A 19890920; PT 9175489 A 19890919