

Title (en)

IMPROVEMENTS RELATING TO GEROTOR PUMPS

Publication

EP 0361716 B1 19930901 (EN)

Application

EP 89309135 A 19890908

Priority

- GB 8822696 A 19880928
- GB 8913368 A 19890609

Abstract (en)

[origin: EP0361716A2] A gerotor pump can have a particularly short axial length by fixing the main shaft in the body (instead of journalling it in the body) and journalling the rotor on the shaft (instead of making the rotor fast with the shaft). Figure 3 shows an arrangement in which gear 24 transmits drive to the pump and has an axial extension 38 journalled on the fixed shaft 18 and keyed or splined at 46 to the rotor which surrounds the extension and hence is only indirectly supported and journalled on the shaft. 14 represents the usual annulus with which the rotor engages in conventional gerotor pump fashion.

IPC 1-7

F04C 2/10; **F04C 15/00**

IPC 8 full level

F04C 2/10 (2006.01); **F04C 11/00** (2006.01); **F04C 15/00** (2006.01)

CPC (source: EP)

F04C 2/102 (2013.01); **F04C 11/00** (2013.01)

Cited by

CN105065259A; EP0457490A1; US5554019A; WO9821479A1; WO03074875A1; WO9404824A1

Designated contracting state (EPC)

AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0361716 A2 19900404; **EP 0361716 A3 19900711**; **EP 0361716 B1 19930901**; AR 247277 A1 19941130; AU 4128789 A 19900405; AU 617002 B2 19911114; BR 8904894 A 19900508; CA 1333857 C 19950110; DE 68908826 D1 19931007; DE 68908826 T2 19931223; DK 172577 B1 19990201; DK 471889 A 19900329; DK 471889 D0 19890926; ES 2045459 T3 19940116; FI 894603 A0 19890928; FI 894603 A 19900329; FI 98949 B 19970530; FI 98949 C 19970910; IE 62731 B1 19950222; IE 893087 L 19900328; IN 176246 B 19960323; JP H02185682 A 19900720; NO 893845 D0 19890927; NO 893845 L 19900329; NZ 230719 A 19910925; PT 91814 A 19900330; PT 91814 B 19950809

DOCDB simple family (application)

EP 89309135 A 19890908; AR 31503889 A 19890928; AU 4128789 A 19890912; BR 8904894 A 19890927; CA 613676 A 19890927; DE 68908826 T 19890908; DK 471889 A 19890926; ES 89309135 T 19890908; FI 894603 A 19890928; IE 308789 A 19890927; IN 815DE1989 A 19890912; JP 24789889 A 19890922; NO 893845 A 19890927; NZ 23071989 A 19890920; PT 9181489 A 19890926