

Title (en)

METHOD FOR THE ENERGY-SAVING OPERATION OF RISK DETECTORS IN A RISK DETECTION ARRANGEMENT

Publication

EP 0362797 A3 19910116 (DE)

Application

EP 89118338 A 19891003

Priority

DE 3834043 A 19881006

Abstract (en)

[origin: EP0362797A2] The system operating in accordance with the principle of chain synchronization, comprising a central station (Z) having several two-core primary signalling lines (ML), to which a plurality of detectors (Mn) is connected in the form of a chain, which are cyclically regularly activated from the central station (Z) and are interrogated for their respective analog detector measuring value, in each case uses detectors (MN) which exhibit a voltage measuring device (MU) which monitors the applied line voltage (UL), a subsequent logic circuit (VL) with associated sensor part (S), a subsequent control device (St), an energy accumulator (C) and a switching transistor (T). The logic circuit (VL) is essentially formed by a microprocessor which can be connected and disconnected. According to the invention, the microprocessor is switched to a current-saving standby condition and switched on again in dependence on particular switching criteria (UAN, DS) which are specific for the hazard signalling system, a required start-up time (tan) being ensured for the microprocessor. For example, each detector (Mn) in turn receives with a cyclic interrogation a particular voltage (connecting voltage UAN) which switches on the microprocessor but only activates the detector concerned after a predetermined start-up time (tan), that after the start-up time (tan) has elapsed, the data traffic with the central station (Z) occurs, a particular receiving time (te) being in each case provided for the reception (E1, E2...) and a particular response time (ta) being in each case provided for the responding (signalling) (A1, A2...). After that, the microprocessor is disconnected with the switching-through (DS) to the next detector. <IMAGE>

IPC 1-7

G08B 26/00

IPC 8 full level

G08B 26/00 (2006.01); **H04B 1/16** (2006.01)

CPC (source: EP)

G08B 26/005 (2013.01)

Citation (search report)

- [A] EP 0125485 A1 19841121 - SIEMENS AG [DE]
- [A] GB 2131991 A 19840627 - PHILP ROBERT
- [A] EP 0279697 A2 19880824 - NEC CORP [JP]

Cited by

DE4030298A1; EP2515553A3; WO2011054458A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)

EP 0362797 A2 19900411; **EP 0362797 A3 19910116**; **EP 0362797 B1 19941228**; **EP 0362797 B2 20000517**; AT E116464 T1 19950115; DE 58908831 D1 19950209

DOCDB simple family (application)

EP 89118338 A 19891003; AT 89118338 T 19891003; DE 58908831 T 19891003