

Title (en)

Scanning system with adjustable light output and/or scanning angle.

Title (de)

Abtastsystem mit einstellbarem Lichtausgang und/oder Abtastwinkel.

Title (fr)

Système de balayage à niveau lumineux de sortie et/ou à angle de balayage réglables.

Publication

EP 0364676 A2 19900425 (EN)

Application

EP 89113269 A 19890719

Priority

US 26069288 A 19881021

Abstract (en)

The invention provides a method and a device for reading coded indicia such as bar code symbols which is operable in both a low power mode and a high power mode in order to prolong the operational lifetime of the semiconductor light source.

IPC 1-7

G06K 7/10

IPC 8 full level

G06K 7/10 (2006.01)

CPC (source: EP US)

G06K 7/10633 (2013.01 - EP US); **G06K 7/10653** (2013.01 - EP US); **G06K 7/10722** (2013.01 - EP US); **G06K 7/10851** (2013.01 - EP US);
G06K 2207/1011 (2013.01 - EP US); **G06K 2207/1016** (2013.01 - EP US); **G06K 2207/1017** (2013.01 - EP US);
G06K 2207/1018 (2013.01 - EP US)

Cited by

EP0498366A3; US5834750A; US5696370A; AU2003200273B2; AU2003200274B2; AU2003200275B2; EP0487318A3; US5724458A;
US5970184A; EP0507972A1; EP1241638A3; EP1241639A3; US7389933B2; US9016578B2; US8967478B2; WO2008048805A3; US6369709B1;
US6464138B1; US6542070B1; US6549141B1; US6750777B2; US6857568B1; US8002182B2

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

EP 0364676 A2 19900425; **EP 0364676 A3 19920212**; **EP 0364676 B1 19980603**; CA 1336620 C 19950808; DE 68928690 D1 19980709;
DE 68928690 T2 19990204; JP 2612617 B2 19970521; JP 2768919 B2 19980625; JP H02144786 A 19900604; JP H08171604 A 19960702;
US 4933538 A 19900612

DOCDB simple family (application)

EP 89113269 A 19890719; CA 605108 A 19890707; DE 68928690 T 19890719; JP 22349395 A 19950831; JP 25864989 A 19891003;
US 26069288 A 19881021