

Title (en)
DEVICE FOR ABRASIVE MACHINING OF CYLINDRICAL BEARING SURFACES OF WORKPIECES, IN PARTICULAR FOR BELT GRINDING OF CRANKSHAFT JOURNALS AND PINS

Publication
EP 0366506 B1 19920617 (FR)

Application
EP 89402555 A 19890919

Priority
FR 8812622 A 19880927

Abstract (en)
[origin: EP0366506A1] The device comprises, for the machining of each bearing surface (2, 3) of the workpiece (1), three blocks (13, 16a, 16b) for applying abrasive, one of which is mounted in a fixed position on the arm (7) and the two others are mounted on two jaws (14a, 14b) articulated on the arm (7), such that when the two jaws (14a, 14b) are tightened, after the arm (7) has been lowered onto the bearing surface to be machined, the three blocks (13, 16a, 16b) are arranged at the corners of an equilateral triangle and exert a uniform and controllable pressure on the workpiece (1).
<IMAGE>

IPC 1-7
B24B 5/00; **B24B 21/00**

IPC 8 full level
B24B 5/42 (2006.01); **B24B 21/00** (2006.01)

CPC (source: EP US)
B24B 5/42 (2013.01 - EP US); **B24B 21/004** (2013.01 - EP US)

Cited by
EP2324955A1; US5755615A; CN107953209A; DE19602974A1; EP0680806A1; FR2719516A1; US5651719A; EP1022092A1; EP0733437A1; US5865669A; EP0950467A3; FR2702693A1; EP0624431A1; US5522762A; FR2952845A1; US6383063B1

Designated contracting state (EPC)
CH DE ES GB IT LI SE

DOCDB simple family (publication)
EP 0366506 A1 19900502; **EP 0366506 B1 19920617**; DE 68901850 D1 19920723; DE 68901850 T2 19930204; ES 2033115 T3 19930301; FR 2636877 A1 19900330; FR 2636877 B1 19940701; JP H0366553 A 19910322; US 5058325 A 19911022

DOCDB simple family (application)
EP 89402555 A 19890919; DE 68901850 T 19890919; ES 89402555 T 19890919; FR 8812622 A 19880927; JP 24935689 A 19890927; US 40979489 A 19890920