

Title (en)
METAL SPRAYING APPARATUS

Publication
EP 0371988 B1 19930908 (EN)

Application
EP 88906458 A 19880624

Priority
US 6617387 A 19870625

Abstract (en)
[origin: WO8810168A1] An arc spray metallizing gun is provided with electrical conductors (36, 38) which are cooled by circulating a stream of coolant liquid along the length of the conductors. The wire feed mechanism includes a motor (101) which has a shaft (110) carrying two drive gears (116, 118). One drive gear (116) is engaged with a driven gear (128) connected to a first wire feed wheel (14), and the other drive gear (118) is connected to a driven gear (120) connected to a second wire feed wheel (14A). The driven gears are located on opposite sides of the shaft, and the teeth on the two drive gears face in opposite axial directions on the shaft so that the driven gears and the feed wheels (14, 14A) connected thereto are all rotated in directions which drive the wires (10, 12) forwardly in convergent wire guides (16, 16A).

IPC 1-7
B23K 9/04; B23K 9/12

IPC 8 full level
B05B 7/22 (2006.01); **C23C 4/12** (2006.01)

CPC (source: EP)
B05B 7/224 (2013.01); **C23C 4/131** (2016.01); **B05B 1/28** (2013.01)

Designated contracting state (EPC)
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)
WO 8810168 A1 19881229; DE 3883983 D1 19931014; DE 3883983 T2 19940421; EP 0371988 A1 19900613; EP 0371988 A4 19911002; EP 0371988 B1 19930908

DOCDB simple family (application)
US 8802140 W 19880624; DE 3883983 T 19880624; EP 88906458 A 19880624