

Title (en)
INK JET RECORDING METHOD

Publication
EP 0378387 A3 19910130 (EN)

Application
EP 90300277 A 19900110

Priority
• JP 294189 A 19890111
• JP 294289 A 19890111

Abstract (en)
[origin: EP0378387A2] An ink jet recording method by an ink jet recording head of an on-demand type. Ink droplets are discharged at an interval which is $1/N$ (N is a natural number of 2 or more) of a pitch of a recording unit.

IPC 1-7
B41J 2/01

IPC 8 full level
B41J 2/21 (2006.01); **B41J 2/505** (2006.01)

CPC (source: EP)
B41J 2/2125 (2013.01); **B41J 2/5056** (2013.01)

Citation (search report)
• [X] US 4617580 A 19861014 - MIYAKAWA AKIRA [JP]
• [Y] US 4748453 A 19880531 - LIN LARRY W [US], et al
• [A] EP 0244604 A2 19871111 - IBM [US]
• [A] US 4050077 A 19770920 - YAMADA TAKAHIRO, et al
• [X] PATENT ABSTRACTS OF JAPAN vol. 6, no. 181 (M-156)(1059) 17 September 1982, & JP-A-57 89973 (TACHIKAWA) 4 June 1982,
• [A] PATENT ABSTRACTS OF JAPAN vol. 7, no. 120 (M-217)(1265) 25 May 1983, & JP-A-58 39468 (TANAKA) 8 March 1983,

Cited by
US5975679A; EP0730969A1; EP0692386A1; US5844583A; EP0719647A3; EP1486334A3; EP0732211A1; US5984450A; EP0628415A3; EP0816103A3; US6264298B1; US6309051B1; US6325492B1; US6572216B1; US6918656B2; US7425056B1

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
EP 0378387 A2 19900718; EP 0378387 A3 19910130; EP 0378387 B1 19950517; DE 69019380 D1 19950622; DE 69019380 T2 19951026

DOCDB simple family (application)
EP 90300277 A 19900110; DE 69019380 T 19900110