

Title (en)
STRETCHING CHAMBER

Publication
EP 0384886 B1 19930728 (DE)

Application
EP 90810061 A 19900125

Priority
CH 68489 A 19890224

Abstract (en)
[origin: EP0384886A1] The process for stretching a synthetic yarn, consisting of a bundle of fibrils, in a liquid stretching bath is characterised in that the yarn is fed to the stretching bath as a sliver of fibrils arranged essentially next to one another and lying essentially in one plane. The yarn is guided via a running-direction deflector device so as to be ordered into a fibril sliver. Alternatively, in addition to the hydrodynamic braking effect caused by the chamber liquid, a mechanical braking effect provided by means of braking pins is, in order to compensate braking losses as a result of lower chamber run-through speeds. <??>The apparatus for stretching a synthetic yarn in a liquid consists essentially of a base part (1) and of a cover part (2) with formed-in portions (3,4) for the joint production of a stretching bath, and with a run-in device (10) for ordering the yarn into an ordered fibril sliver, an apparatus part (1) having the inflow and/or flow-off device for the chamber liquid. <IMAGE>

IPC 1-7
D01D 5/14; D02J 1/22

IPC 8 full level
D02J 1/22 (2006.01)

CPC (source: EP US)
D02J 1/223 (2013.01 - EP US)

Cited by
DE19546783C1; DE19546784A1; DE19546784C2; EP0613967A1

Designated contracting state (EPC)
CH DE FR GB IT LI NL

DOCDB simple family (publication)
EP 0384886 A1 19900829; EP 0384886 B1 19930728; DE 59002052 D1 19930902; JP H03833 A 19910107; US 5046225 A 19910910

DOCDB simple family (application)
EP 90810061 A 19900125; DE 59002052 T 19900125; JP 4141490 A 19900223; US 48418690 A 19900223