

Title (en)
PERFECTED DIESEL ENGINE ELECTROMAGNETIC FUEL INJECTOR

Publication
EP 0385398 A3 19910619 (EN)

Application
EP 90103803 A 19900227

Priority
IT 5290389 U 19890228

Abstract (en)
[origin: EP0385398A2] A perfected fuel injector comprising an axially-sliding plunger (8) for controlling fuel passage between an injection chamber (13), supplied with fuel under pressure, and at least an injection orifice (9) formed in an injection nozzle (10); which injection chamber (13) is defined by a cylindrical surface (12) coaxial with the plunger (8). According to the present invention, the plunger (8) comprises a cylindrical portion (25) slightly smaller in diameter than the cylindrical surface (12), so as to define, downstream from the cylindrical portion (25), an injection chamber portion (26) of predetermined volume, and so as to define, between the cylindrical portion (25) and cylindrical surface (12), an annular channel (27) enabling fuel passage to the injection chamber portion (26) and along which a predetermined fall in fuel pressure is achieved.

IPC 1-7
F02M 51/06

IPC 8 full level
F02M 47/00 (2006.01); **F02M 47/02** (2006.01); **F02M 51/00** (2006.01); **F02B 3/06** (2006.01)

CPC (source: EP)
F02M 47/027 (2013.01); **F02B 3/06** (2013.01)

Citation (search report)

- [X] DE 3735526 A1 19880505 - NIPPON DENSO CO [JP]
- [X] DE 3629646 A1 19880303 - BOSCH GMBH ROBERT [DE]
- [Y] US 4603671 A 19860805 - YOSHINAGA TORU [JP], et al
- [A] DE 3227742 A1 19830511 - STEYR DAIMLER PUCH AG [AT]
- [A] GB 1132403 A 19681030 - ROBERT HUBER
- [A] EP 0228578 B1 19910925
- [A] GB 2185530 A 19870722 - DERECHO DIESELMOTOREN FORSCHUNG, et al

Cited by
EP1772618A1; EP0971118A3; FR2726043A1; US5772123A; US6705551B1; WO0111222A1

Designated contracting state (EPC)
DE ES FR GB SE

DOCDB simple family (publication)
EP 0385398 A2 19900905; **EP 0385398 A3 19910619**; IT 216950 Z2 19911011; IT 8952903 V0 19890228; JP H03965 A 19910107

DOCDB simple family (application)
EP 90103803 A 19900227; IT 5290389 U 19890228; JP 4911290 A 19900228